2018 FULL LINE CATALOG

plastpro®
THE DOOR OF BEAUTY AND INNOVATION

THE DOOR OF BEAUTY AND INNOVATION

We choose a door for its aesthetic qualities, but doors offer so much more than aesthetics. Your front door is a warm familiar place where new guest arrive and a cheerful announcement when friends come. We live our lives through them. Our front door sees us when we start our day and are ready to take on new opportunities. It's also a gentle embrace at the end of the day, welcoming us to our home and family. Doors aren't just doors; they're a reflection of us and our home. They help us and our families feel safe and protected. We know how important it is to choose a door that best represents you, makes you feel secure, and fits your needs.

ABOUT PLASTPRO

Since 1994, Plastpro has always believed in providing a superior product with the best value, technology, and commitment to our customers. Our fiberglass doors offer the beauty and versatility of wood doors, but are strong like steel doors. Wood and steel doors have been preferred in the industry, but both come with problems such as: rotting, rusting, and weather damage. Our fiberglass doors are the best solution and are not susceptible to weather damage, require less maintenance, and offer higher performance ratings. We've introduced the first door with composite stiles and rails, HydroShield technology, and composite Polyfibger (PF) Frames to the industry. Our doors feature a full length LVL block that provides stronger rigidity and a range of door locks and hardware to be installed for increased security. We carry a wide variety of designs, sizes, and styles that are bound to complement everyone's home.

Since the beginning, we've not only been committed to providing superior products, but also in creating opportunities. Our goal is to create positive changes for not only our employees and customers, but also for our community. We believe in doing good for the world and making a difference. For us, success is only as good as the good it creates. We've continuously partnered with Habitat for Humanity in order to create affordable, green houses for low-income families across the nation. We've donated more than 500 doors to various chapters of Habitat for Humanity and other non-profit organizations. When you buy a Plastpro door, you not only get a beautiful door with the best quality, you become part of Plastpro and join us in giving back to others.

TABLE OF CONTENTS

5 - 6 PLASTPRO'S QUALITY

8 - 11 PF™ DOOR FRAMES

12 CHOOSING YOUR DOOR

13 DOORABILITY

14 - 15 DOOR SERIES OVERVIEW

16 - 27 GLASS OVERVIEW

28 - 29 SPECIALTY SERIES (FIRE RATED, HVHZ, TRIMABLE & RESIDENTIAL ADA)

30 - 35 LIMITED

36 - 43 MODERN

44 - 57 RUSTIC

58 - 67 MAHOGANY

68 - 73 FIR GRAIN

74 - 107 OAK GRAIN

108 - 151 SMOOTH

152 - 167 TRUE WHITE OAK

168 - 179 ONELITE

180 - 183 PRE-FINISH KIT & STAIN / PAINT GUIDES

184 - 185 LEED CONTRIBUTIONS

186 - 193 PRODUCT INDEX

PATENTED HYDROSHIELD™ TECHNOLOGY

Our exclusive HydroShield Technology protects our doors against moisture and humidity infiltration, by creating a fully composite barrier that encases and protects the door on all six sides. It prevents warping, delamination, corrosion, rotting, and the buildup of mold and mildew. Our doors with HydroShield Technology used with our Polyfiber (PF) Door Frames create an enhanced, impenetrable entryway.

HydroShield™ technology

1 FIBERGLASS REINFORCED DOOR SKINS

Our exclusive formula is measured precisely to ensure each skin is produced to the highest quality. With unlimited design options, customized panel configurations are possible. The skins require little maintenance and will not splinter, dent, warp, rot, or rust. They can be painted, stained, and we provide a variety of graining options.

2 FULL LENGTH COMPOSITE STILES

Our full-length composite stiles protect the door from external moisture to prevent warping or rotting. They have twice the screw-holding strength of wood.

3 COMPOSITE TOP & BOTTOM RAILS

High strength composite top and bottom rails prevent moisture from seeping into the door and stops the buildup of mold.

4 EXTENDED LOCKBLOCK

Plastpro's full length LVL allows any type of lock to be placed for increased security.

5 POLYURETHANE FOAM CORE

Our advanced CFC-free, high density, Polyurethane foam core enhances the door's soundproofing capabilities and provides insulation up to six times greater than wood doors.

BACKED BY WARRANTY

We are proud to offer one of the best warranties in the industry. Plastpro products are held to high standards. We stand behind our products and guarantee the best quality to meet your performance expectations.

PLASTPRO DOOR

1. Full length composite top and bottom rails enhance the durability and performance of the door by preventing any water penetration, which eliminates the natural cracking found with wood.
2. High impact skin with beautiful old world craftsmanship will not split, dent, or rust.
3. Full length composite stiles offer non-porous protection that prevents water from seeping into the door, which eliminates the natural cracking that occurs with wood.
4. Full length LVL block provides stronger rigidity and a range of door locks and hardware to be installed on the door to increase security.
5. Polyfiber (PF) Door Frame is durable, long-lasting, and enhances the quality and performance of the entryway when used with our door.

HydroShield™ technology

ENERGY STAR PARTNER

THEIR DOOR

1. Composite bottom rails with wood exposed on the bottom of door allowing for moisture penetration.
2. Shallow embossed skin resembling steel doors, reducing curb appeal.
3. Limited length wood stiles allow moisture to enter creating future maintenance issues.
4. Average wood lock block of 12".
5. Wood frame material will crack or rot over time.

Rustic Door • DRA2P80

PF™ DOOR FRAMES

To have a complete entry system, it is important to consider the material of the door frame. Wood doors and frames are prone to warping, rotting, and cracking, while steel doors and frames can rust and dent. You don't want to install a door that will fail, nor do you want to install a frame that will fail.

Plastpro's Polyfiber (PF) Door Frames are a uniquely formulated and innovative alternative to traditional door frames. They combine the beauty of wood with the strength of steel. The material is durable, long-lasting, and is more thermally resistant than either wood or metal. The advanced system can be installed the same way as traditional wood frames with no added hassle. When used together with a fiberglass door, they create an enhanced, impenetrable entryway.

FEATURES & BENEFITS

- Equipped with HydroShield technology, it will not absorb or wick moisture, and prevents warping, rotting, and splitting.
- Frame is not able to be infested with termites at any point along the structure.
- Has twice the screw holding power of traditional wood door frames.
- More versatility in design. Available in various lengths and widths that can be stained as well as painted.
- Maintenance free and energy efficient.

FRAME DECAY COMPARISON

PLASTPRO PF™ DOOR FRAME

*with Hydroshield Technology™

TRADITIONAL WOOD FRAME

Susceptible to rotting, warping and decay

PF™ DOOR FRAMES

4⁹⁄₁₆" DOOR FRAME

6⁹⁄₁₆" DOOR FRAME

5¼" DOOR FRAME

7¼" DOOR FRAME

1¼" x 3" FRAME EXTENSION

WM180 BRICK MOULD



WM176 FL. BRICK MOULD



1" x 2" STUCCO MOULD

PRIMED BACKBAND



NAILING FIN



J-CHANNEL

FLAT CASING

FLAT CASING J-CHANNEL

TRIM BOARDS



TRANSOM SILLS

- 4⁹⁄₁₆"
- 6⁹⁄₁₆"

MULL POSTS

- 1½" x 3⁹⁄₁₆" x 2½"
- 1½" x 4⅜" x 2½"
- 1½" x 3⁹⁄₁₆" x 2"
- 1½" x 4⅜" x 2"

MULL POST COVERS (EXT.)

- 1½" x 1"
- 2" x 1"

MULL POST COVERS (INT.)

STORM DOOR ADAPTERS

- 1" x 2½"
- 1" x 3"

SIDELITE STOPPER

ASTRAGAL

PF™ ARCH HEADERS

PF™ RADIUS HEADERS

MATCHING DOOR		MATCHING KIT CODE	PRODUCT DIMENSION
DRA2C DRA2E		PFG043068AK	4⁹⁄₁₆" Arch Frame Kit*
		PFG063068AK	6⁹⁄₁₆" Arch Frame Kit*
DRAPC DRAPC70 DRAPC80	DRA1C80 DRA2C80	PFG043080AK	4⁹⁄₁₆" Arch Frame Kit*
		PFG063080AK	6⁹⁄₁₆" Arch Frame Kit*
DRAPC-36 DRA2E-36 DRAPC70-36	DRAPC80-36 DRA1C80-36 DRA2C80-36	PFG043680AK	4⁹⁄₁₆" Arch Frame Kit*
		PFG063680AK	6⁹⁄₁₆" Arch Frame Kit*

PF™ FRAMES ARCH HEADER KIT

*ALL KITS INCLUDE BRICK MOULD

MATCHING DOOR		MATCHING KIT CODE	PRODUCT DIMENSION
DRAPR DRAPR70 DRAPR80	DRA2F80 DRA4C80	PFG04030H0RHK	4⁹⁄₁₆" Radius Frame Kit*
		PFG06030H0RHK	6⁹⁄₁₆" Radius Frame Kit*
DRAPR-36 DRAPR70-36	DRAPR80-36 DRA4C80-36	PFG04036H0RHK	4⁹⁄₁₆" Radius Frame Kit*
DRAPR-36 DRAPR70-36	DRAPR80-36	PFG06036H0RHK	6⁹⁄₁₆" Radius Frame Kit*

PF™ FRAMES RADIUS HEADER KIT

*ALL KITS INCLUDE BRICK MOULD

ARCH & RADIUS HEADER KITS

The shape of an arched and radius door isn't the only thing that makes it different from a traditional rectangular door. Arch doors exude style and give your entryway a brand new look. Plastpro is the only fiberglass door manufacturer able to offer full composite frames to match arch or radius top doors.

GRAINING CHART

Plastpro Polyfiber (PF) Door Frames are produced with the highest quality and are available in a variety of graining options. For a detailed list of graining available per product, please refer to the chart below.

	OAK GRAIN	FIR GRAIN	MAHOGANY	PRIMED	WHITE CAPPED
4⅝" DOOR FRAME	●	●	●	●	●
5¼" DOOR FRAME	●			●	●
6⅝" DOOR FRAME	●	●	●	●	●
7¼" DOOR FRAME	●			●	●
WM180 BRICK MOULD	●	●	●	●	●
WM176 FLORIDA BRICK MOULD	●			●	
1" x 2" STUCCO MOULD				●	
PRIMED BACKBAND				●	
NAILING FIN	●			●	●
J-CHANNEL	●			●	●
FLAT CASING	●			●	●
FLAT CASING J-CHANNEL	●			●	●
TRIM BOARDS	●	●	●	●	●
TRANSOM SILLS	●	●	●	●	●
MULL POSTS	●			●	●
MULL POST COVERS (EXTERIOR)	●	●	●		●
MULL POST COVERS (INTERIOR)	●	●	●		●
STORM DOOR ADAPTERS	●	●	●	●	●
DOOR FRAME EXTENSIONS	●	●	●	●	●
SIDELITE STOPPER				●	
ASTRAGAL	●			●	
PF™ ARCH & RADIUS HEADERS	●				

STEP 1: CHOOSE DOOR TYPE & PANELING

MODERN | CHERRY | RUSTIC | MAHOGANY | FIR | OAK | SMOOTH | WHITE OAK | ONELITE

STEP 2: CHOOSE DECORATIVE GLASS

STEP 3: CUSTOMIZE YOUR ENTRY SYSTEM

- CREATE A DOUBLE DOOR ENTRY WAY
- ADD ONE OR TWO MATCHING SIDELITES
- ADD A MATCHING TRANSOM
- ADD DOOR ACCESSORIES
- COMPLETE WITH PF™ DOOR FRAME

STEP 4: CHOOSE FINISH

Plastpro's Pre-Finish Staining Kit contains everything you need to stain one prehung door and two sidelites, or one double door unit.

CHOOSE YOUR DOOR DIGITALLY



Sometimes it's hard to imagine what a door would look like on your home. A unique home like yours needs a door to complement it perfectly. Our Doorability tool takes the guess work out and lets you see our doors on your home. We have designed a visualizing tool that allows you to upload a photo of your home and instantly add a variety of door and glass options to visual your homes new door.



CUSTOMIZE YOUR DREAM ENTRY WAY AT www.plastproinc.com/doorability

- EASY TO USE
- VISUALIZE THE PERFECT DOOR ON YOUR HOME
- SAVE AND EMAIL YOUR CUSTOM DOOR
- DRAW IN YOUR OPENING FOR AN ACCURATE VISUALIZATION

MODERN

The Modern Series effortlessly makes a contemporary design simpler.

LIMITED

Our Limited Series was specifically selected to showcase some of the richest, luxury graining available.

RUSTIC

Our Rustic Doors were designed to provide classic charm, while bringing traditional, upscale appeal to any home.

MAHOGANY

The Mahogany Series brings a beloved wood texture into traditional, timeless styles.

FIR GRAIN

Our Fir Grain Series creates fine details and gives your home a traditional, craftsman appeal.

OAK GRAIN

Dressed in a rich oak grain texture, our Oak Grain Series gives a classic look to your home.

SMOOTH

The Smooth Series is made with a pre-pigmented white skin. Its simplicity gives a clean, minimal look to any of our fiberglass doors.

TRUE WHITE OAK

The True White Oak Series combines the best features from our Smooth and Oak Grain doors. Any home can enjoy a rich oak texture pattern in a pre-pigmented white skin.

ONELITE

Our Onelite Series allows the ultimate amount of light into your home.

GLASS OVERVIEW

PAGES 16 - 27

A beautifully designed entryway helps set the stage for the rest of the home and creates a welcoming passage from public space to private abode. Nothing accomplishes that better than our exclusive glass designs that improve the look and value of your home while adding beauty to your everyday living.

Our doorlites are composed of a piece of decorative glass sealed between two pieces of tempered safety glasses, that provide excellent safety, sound, and thermal performance.
The state-of-the-art Warm Edge spacer system provides a seal that protects and insulates your door & home for years to come. Unlike the competition, our metal caming includes a gasket that cushions & protects the glass from chipping, cracking, and rattling during door movement.

DOORLITE

INSULATING SYSTEM

All Plastpro Decorative Doorlites are made with Super Spacer® Cushion Edge™, a flexible, U-shaped, silicone foam tape product used to wrap around and cushion our center decorative panel. Featuring a vapor barrier backing, the product used in combination with Hot Melt butyl, provides a superior Warm-Edge seal.

PERFORMANCE FEATURES

- Warm-Edge Benefits: Superior silicone foam insulation, low thermal conductivity
- Silicon Foam Features: Excellent UV resistance and extreme temperature performance
- Dual-Seal Performance: Chamfered corners for increased sealant depth
- Tempered Safety Glass for your peace of mind

ENERGY STAR PARTNER

TrueWARM® spacers

Super Spacer®



*This illustration applies to our triple pane glass only.

GLASS CAMING

GLASS CAMING OPTIONS

Our exclusive glass designs are offered with different caming options to match a variety of hardware finishes.

WROUGHT IRON

PATINA

ZINC

GLASS FRAMES

BTHP™ SNAP-ON FRAMES

Our exclusive BTHP™ Snap-on Frames employ a series of specially designed clips that lock decorative glass firmly in place. Our BTHP™ Frames have no unsightly plugs or screws, and create a cleaner, more natural appearance in any entryway. Able to withstand temperatures over 200 degrees Fahrenheit, this frame is perfect for use in any door.

WROUGHT IRON FRAMES

This maintenance-free Wrought Iron doorlite frame resists rust and corrosion while working to keep cold out in the winter and heat out in the summer. Specially engineered to complement the range of cutouts in the Rustic Series, each frame is beautifully hand made and has a durable powder coat finish. May also be used in select Smooth Skin, Woodgrain, and True White Oak doors.

CAMELIA

CAMING: WROUGHT IRON
TRANSOM: AVAILABLE

Camelia's wrought iron curves create symmetry, uniformity, and a sense of balance to a doors appearance. Against a waterfall textured background, the design gives the exterior of your home a modern and sophisticated charm, while delivering the ultimate level of privacy.

1. Wrought Iron
2. Waterfall Tempered Glass

9

PRIVACY RATING
INCREASING OBSCURITY

PRISCILLA

CAMING: WROUGHT IRON
TRANSOM: AVAILABLE

Priscilla's smooth swirl design pays tribute to Renaissance style. The wrought iron and little bubble glass gives the design a touch of grandeur, which is perfect for any home looking for an elegant flair.

1. Wrought Iron
2. Little Bubble Tempered Glass

9

PRIVACY RATING
INCREASING OBSCURITY

CHIANTI

CAMING: WROUGHT IRON
TRANSOM: AVAILABLE

Sometimes less is more. Chianti's simple, geometric pattern is minimal, but creates a strong yet subtle arrangement. Paired with rain glass, this design will complement any home.

1. Wrought Iron
2. Rain Glass



8

PRIVACY RATING
INCREASING OBSCURITY

ABERDEEN

CAMING: ZINC
TRANSOM: AVAILABLE

There is more than meets the eye. Although simple in design, Aberdeen gives a modern, clean profile, and its translucent reed glass is perfect for maintaining a high level of privacy to your home.

1. Zinc Caming
2. Reed Glass

9

PRIVACY RATING
INCREASING OBSCURITY

ARTESANO

CAMING: PATINA
TRANSOM: AVAILABLE

Artesano's subtle hint of amber colored glass creates a warm welcoming feeling to any home. This arrangement is the ideal balance between a clear, simple pattern with a combination of glass textures.



1. Clear Hammer (100HS)
2. Patina Caming
3. Amber Glass
4. Sea Spray
5. Clear Bevel

7

PRIVACY RATING
INCREASING OBSCURITY

ARTESANO BREEZE

CAMING: ZINC
TRANSOM: AVAILABLE

Artesano's classic design is a tasteful blend of small and large geometric shapes. This pattern's transparent features work to create a sophisticated, decorative, and elegant look to any entry door.



1. Clear Hammer (100HS)
2. Zinc Caming
3. Clear Bevel
4. Sea Spray

7

PRIVACY RATING
INCREASING OBSCURITY

BRENTWOOD

CAMING: ZINC OR PATINA
TRANSOM: AVAILABLE

A classic inspired arrangement, our Brentwood piece epitomizes style. With bevel swirls and a bold centerpiece all outlined by a crystal granite border, Brentwood can be appreciated in any home.



1. Baroque
2. Clear Bevel
3. Bright Zinc, or Patina Caming
4. Granite

8

PRIVACY RATING
INCREASING OBSCURITY

CASTILE

CAMING: PATINA
TRANSOM: AVAILABLE

Inspired by the historical Spanish kingdom, Castile is as ornate as its nature and history. The baroque style glass balances the intricacy of its centerpiece with a straight-lined, beveled border. Castile is the epitome of modern design.



1. Granite
2. Baroque
3. Patina Caming
4. Beveled

8

PRIVACY RATING
INCREASING OBSCURITY

CHARLOTTE

CAMING: ZINC OR PATINA
TRANSOM: AVAILABLE

The combination of patterns and an ornately constructed centerpiece magnify the grand nature of our Charlotte glass. With French influence, this bright, inviting design is perfect for any entrance door.



1. 100 Water
2. Lava
3. Clear Bevel
4. Bright Zinc, or Patina Caming

7

PRIVACY RATING
INCREASING OBSCURITY

ELIZABETH

CAMING: PATINA
TRANSOM: AVAILABLE

Elizabeth's elegant combination of textured glass and geometric patterns is reminiscent of traditional craftsman style. The patina caming complements all aspects of your door right down to the hardware.

1. Granite
2. Sable
3. Mistlite
4. Patina Caming

7

PRIVACY RATING
INCREASING OBSCURITY

KENSINGTON

CAMING: PATINA
TRANSOM: AVAILABLE

Kensington brings a classic English atmosphere to anyone's curb appeal. A combination of frosted glass and subtle line patterns gives a high level of charm to this distinct beauty.



1. 100 Water
2. Clear Bevel
3. Narrow Reed
4. Sandblasted Glass
5. Patina Caming

7

PRIVACY RATING
INCREASING OBSCURITY

OXFORD

Although simple, Oxford's frosted glass with clear glass outlines adds an elegant touch. The luminous glass adds a high level of privacy. With a hint of modern dimension, any home can benefit from its polished appearance.



1. Clear
2. Satin Etch

9

PRIVACY RATING
INCREASING OBSCURITY

RIVERTON

Thick, powerful bevels frame bright, frosted glass without drawing attention away from the simplicity of the design. Riverton is the epitome of classic, subtle design and gives a contemporary touch.

1 Clear Bevel
2 Satin Etch

8

PRIVACY RATING
INCREASING OBSCURITY

SOLSTICE

CAMING: PATINA
TRANSOM: AVAILABLE

Our Solstice creates a beautiful, simplistic arrangement of frosted glass bordered by patina caming outlines. This stylistic design is bound to leave a lasting impression to any home.

1 Sable 3.0 MM Outer Border
2 Clear Pencil Bevel for Inner Border
3 Sable Bevels Center Background
4 Patina Caming

8

PRIVACY RATING
INCREASING OBSCURITY

SPRING

CAMING: PATINA
TRANSOM: AVAILABLE

This chevron pattern arrangement emphasizes clean-cut arrows with two toned glass colors. It provides a subtle charm to its otherwise simple pattern. The pale gray, water-like glass texture gives a sense of energy and renewal reminiscent of spring.

1. Light Water
2. Clear Chord
3. Pale Gray Water
4. Patina Caming

9

PRIVACY RATING
INCREASING OBSCURITY



TABITHA

CAMING: PATINA
TRANSOM: AVAILABLE

A clustered flower atop Tabitha is the perfect accent to this romantic centerpiece. The mix of patterns and textures give the arrangement a fluid, contemporary design that will always be admired.

1. Granite
2. Double Water
3. Clear Bevel
4. Patina Caming

7

PRIVACY RATING
INCREASING OBSCURITY



MINIBLINDS

CAMING: Clear Insulated Glass & LoE Glass

Our Miniblinds offer a clean, cordless design that utilizes a single, easy-to-use lever to control the height and tilt of your blinds. Encased between either our LoE or Clear IG sealed glass, there are no exposed cords, blinds require no dusting, and the sealed glass unit increases energy efficiency.

1. Miniblind
2. Clear IG or Low-E Glass

1	2	3	4	5	6	7	8	9	10

PRIVACY RATING
INCREASING OBSCURITY ---------->



FIRE RATED

Made with fire-resistant composite, Plastpro Fire Rated doors are extremely durable. Our doors are tested and comply with safety and performance standards to withstand fire for a minimum of 20 minutes. Certain models are available to hold off fire for 60 and 90 minutes. Most importantly, our doors provide a safe home without ever sacrificing style.

= 20min rating option available

= 60min rating option available

= 90min rating option available

Contact us for stock availability.

TRIMMABLE

Our Trimmable Series is designed to fit in a variety of existing entry ways. Adjustments up to 2" in height and width can be made to the door through your contractor. Trimmable doors are available in Oak and Smooth skin. This is the door your home has been waiting for.

= Trimmable Option Available. Contact us for stock availability.

HVHZ IMPACT



Plastpro's High Velocity Hurricane Zone (HVHZ) Impact Doors are engineered to withstand the force of flying objects, while maintaining all the benefits and beauty of our door aesthetic. Our Impact Doors are created, tested, and certified to meet the most stringent wind and impact code requirements in the nation. Our innovative R&D Department has pioneered a unique patent-pending process whereby a missile-proof shield is built-in to reinforce the door.

= HVHZ Option Available. Contact us for stock availability.

RESIDENTIAL ADA

Our Residential ADA doors are offered in a variety of styles that fulfill all compliances. From Modern to True White Oak, our Residential ADA series has a 10" bottom rail that allows a kick plate to be installed. We have the option to include reinforced blocking through a special order.

= Residential ADA Option Available. Contact us for stock availability.

LIMITED SERIES

Knotty Alder Door • DRK2B

Cherry Door • DRC21

Our Limited Series was specifically selected to showcase some of the richest, luxury graining available. The Cherry, Knotty Alder, and Teak doors are fine, subtle, but detailed and will undeniably enrich your home. Cherry is a premium American hardwood, prized for its natural luster and attractive grain. Knotty Alder is admired for its subtle straight grain pattern and sound knots. These grains exude an authentic wood grain and are so versatile they will complement any home. Teak gives off a luxury feel that is perfect for our Limited Series, which expertly blends simplicity with stark design.

ALL LIMITED DOORS ARE SHOWN PRE-FINISHED

6'8"

DRC21

6'8"

DMT51

7'0"

DMT5170

6'8"

DRK2B

HVHZ IMPACT NOT AVAILABLE IN 3'6" ● IN STOCK ● EXTENDED LEAD TIME

CHERRY
TWO PANEL DOOR

DRC21 SLC21



GLASS OPTIONS

6'8"

CAMFL7

6'8"

PACLFL7

6'8"

CHIFL7

6'8"

ABRFL7Z

6'8"

ARTFL7P

6'8"

ARZFL7Z

6'8"

BREFL7P/Z

6'8"

CASFL7P

6'8"

CHRFL7P

6'8"

ELZFL7P

6'8"

KENFL7P

6'8"

OXFFL7

6'8"

RIVFL7

6'8"

SOLFL7P

● IN STOCK ● EXTENDED LEAD TIME

6'8"

SPRFL7P

6'8"

TABFL7P

6'8"

MBC/MBLFL7

6'8"

CAMFL1

6'8"

PCLFL1

6'8"

CHIFL1

6'8"

ABRFL1Z

6'8"

ARTFL1P

6'8"

ARZFL1Z

6'8"

BREFL1P/Z

6'8"

CASFL1P

6'8"

CHRFL1P

6'8"

ELZFL1P

6'8"

KENFL1P

6'8"

OXFFL1

6'8"

RIVFL1

6'8"

SOLFL1P

6'8"

SPRFL1P

6'8"

TABFL1P

6'8"

MBC/MBLFL1

MODERN TEAK
MILAN DOOR

DMT51

DMT5170

GRAIN CLOSE UP

● IN STOCK ● EXTENDED LEAD TIME

KNOTTY ALDER TWO PANEL DOOR

6'8"

2'8" • 2'10" • 3'0"

DRK2B



GRAIN CLOSE UP

● IN STOCK ● EXTENDED LEAD TIME

MODERN

Smooth Modern Door • DMG46

The Modern Series effortlessly makes a contemporary design simpler. Our doors are designed to have a cleaner style by incorporating clean, simple lines and single patterned glass. This clean look can complement any homes interior and exterior.

ALL MODERN DOORS ARE SHOWN PRE-FINISHED1

DMG46

DMG4680

DMG51

DMG5180

DMS1L

DMS1L80

DMS1R

DMS1R80

DMS1T

DMS1T80

DMS3H

DMS3H80

DMS5H

DMS5H80

HVHZ IMPACT NOT AVAILABLE IN 3'6" ● IN STOCK ● EXTENDED LEAD TIME

MODERN OAK
SOUTH BEACH DOOR



DMG46

DMG4680

MODERN OAK NAPOLI DOOR

DMG51

DMG5180

● IN STOCK ● EXTENDED LEAD TIME

FLUSH GLAZED SINGLE LEFT LITE

MODERN SMOOTH BIENVENUE DOOR

DMS1L

DMS1L80

GLASS OPTIONS

LoE²

RAIN

ROOFTOP

SABLE

LoE²

RAIN

ROOFTOP

SABLE

MODERN GLASS CLOSE UP

LoE²

RAIN

ROOFTOP

SABLE

● IN STOCK ● EXTENDED LEAD TIME

MODERN SMOOTH BIENVENUE DOOR

FLUSH GLAZED SINGLE RIGHT LITE

DMS1R

DMS1R80

GLASS OPTIONS

LoE²

RAIN

ROOFTOP

SABLE

LoE²

RAIN

ROOFTOP

SABLE

MODERN GLASS CLOSE UP

LoE²

RAIN

ROOFTOP

SABLE

● IN STOCK ● EXTENDED LEAD TIME

MODERN SMOOTH MARTINIQUE DOOR

DMS1T

DMS1T80

GLASS OPTIONS

LoE²

RAIN

ROOFTOP

SABLE

LoE²

RAIN

ROOFTOP

SABLE

MODERN GLASS CLOSE UP

LoE²

RAIN

ROOFTOP

SABLE

● IN STOCK ● EXTENDED LEAD TIME

MODERN SMOOTH EMPIRE DOOR



DMS3H DMS3H80

MODERN SMOOTH INFINITY DOOR



DMS5H DMS5H80

● IN STOCK ● EXTENDED LEAD TIME

Modern Door • DMG46

RUSTIC

Rustic Door DRAPR70 • Hinge Strap ACCHGSTP18

Our line of Rustic Doors were designed to provide classic charm, while bringing traditional, upscale appeal to any home. Doors in the Rustic Series display vertical planks, distinct panel details, and arched and radius tops. The Rustic Series only uses wrought iron glass and rustic accessories to reinforce that mid-century rustic look.

ALL RUSTIC DOORS ARE SHOWN PRE-FINISHED

HVHZ IMPACT NOT AVAILABLE IN 3'6" ● IN STOCK ● EXTENDED LEAD TIME

RUSTIC
TRUE PLANK DOOR

ARCH TOP

DRAPC

DRAPC70

DRAPA80

RUSTIC TRUE PLANK DOOR

RADIUS TOP

DRAPR

DRAPR70

DRAPR80

● IN STOCK ● EXTENDED LEAD TIME

SQUARE TOP

RUSTIC TRUE PLANK DOOR

6'8"

2'6" • 3'0" • 3'6"

DRATP

7'0"

2'6" • 3'0" • 3'6"

DRATP70

8'0"

2'6" • 3'0" • 3'6"

DRATP80

ARCH PLANK & SQUARE TOP

RUSTIC ONE PANEL DOOR

8'0"

3'0" • 3'6"

DRA1A80

● IN STOCK ● EXTENDED LEAD TIME

RUSTIC ONE PANEL DOOR

ARCH PLANK & ARCH TOP

DRA1C80

RUSTIC ONE PANEL DOOR

SQUARE PLANK & SQUARE TOP

DRA1P

DRA1P80

● IN STOCK ● EXTENDED LEAD TIME

RUSTIC TWO PANEL DOOR

6'8"

3'0"

DRA2A

8'0"

3'0" • 3'6"

DRA2A80

1'0" • 1'2"

SLM6080

GLASS OPTIONS

6'8"

CAM344

6'8"

CAM3R4

6'8"

PCL344

6'8"

PCL3R4

6'8"

CHI344

6'8"

CHI3R4

8'0"

CAM3R5
CAM3R6 (3'6")

8'0"

PCL3R5
PCL3R6 (3'6")

8'0"

CHI3R5
CHI3R6 (3'6")

8'0"

CAMFL2

8'0"

PCLFL2

8'0"

CHIFL2

● IN STOCK ● EXTENDED LEAD TIME

RUSTIC
TWO PANEL DOOR

SQUARE PANEL & SQUARE TOP

DRA2B SLA2B

GLASS OPTIONS

CAM344

PCL344

CHI344

CAMFL7

PCLFL7

CHIFL7

RUSTIC TWO PANEL DOOR

DRA2C

DRA2C80

GLASS OPTIONS

CAM3R4

PCL3R4

CHI3R4

CAM3R5
CAM3R6 (3'6")

PCL3R5
PCL3R6 (3'6")

CHI3R5
CHI3R6 (3'6")

● IN STOCK ● EXTENDED LEAD TIME

RUSTIC
TWO PANEL DOOR

6'8"

2'10" • 3'0" • 3'6"

DRA2D

GLASS OPTIONS

6'8"

CAM3R4

6'8"

PCL3R4

6'8"

CHI3R4

6'8"

CAM344

6'8"

PCL344

6'8"

CHI344

ARCH PANEL & ARCH TOP

RUSTIC TWO PANEL DOOR

6'8"

2'10" • 3'0" • 3'6"

DRA2E

6'8"

CAM3R4

6'8"

PCL3R4

6'8"

CHI3R4

RADIUS PANEL & RADIUS TOP

RUSTIC TRUE PLANK DOOR

8'0"

3'0"

DRA2F80

● IN STOCK ● EXTENDED LEAD TIME

RUSTIC TWO PANEL DOOR

SQUARE PLANK & SQUARE TOP

8'0"

3'0" • 3'6"

DRA2P80

8'0"

CAMHL6
CAM346 (3'6")

8'0"

PCLHL6
PCL346 (3'6")

8'0"

CHIHL6
CHI346 (3'6")

RUSTIC TWO PANEL DOOR

RADIUS PANEL & SQUARE TOP

8'0"

3'0"

DRA2R80

RADIUS PANEL & RADIUS TOP

RUSTIC FOUR PANEL DOOR

8'0"

3'0" • 3'6"

DRA4C80

RADIUS PANEL & SQUARE TOP

RUSTIC FOUR PANEL DOOR

8'0"

3'0" • 3'6"

DRA4R80

● IN STOCK ● EXTENDED LEAD TIME

RUCTIC ACCESSORIES

1.5" Square

ACCLP12Q

1.25" Square

ACCLP14Q

DECORATIVE CLAVOS

Plastpro Decorative Clavos provide the perfect accent to some of the most beautiful and highest quality fiberglass doors in the industry. In addition to providing a distinct and unique element to any fiberglass distressed door, our Decorative Clavos enhance our fiberglass entry doors, and provide the perfect "finishing touch" to virtually every Rustic Door we provide.

1.5" Round

ACCLP12R

1.25" Round

ACCLP14R

FEATURES & BENEFITS

- Easy to Apply
- Scientifically Formatted Adhesive Unique for Fiberglass Doors
- Masterfully Crafted Premium Metal Alloy
- Tough and Durable Powder Coat Finish

6'8"

DRA1P
ACCLP14Q

8'0"

DRA1P80
ACCLP14Q

6'8"

DRA2C
ACCLP14R

8'0"

DRA2C80
ACCLP14R

8'0"

DRA1A80
ACCLP12Q

8'0"

DRA1C80
ACCLP12R

● IN STOCK ● EXTENDED LEAD TIME

ACCESSORIES ARE APPLIED BY PLASTPRO DISTRIBUTORS / DEALERS

Speakeasy

ACCSPKY0910KIT

Speakeasy

ACCSPKYGSB0KIT

SPEAKEASY & HINGE STRAP

Plastpro has extended its line of authentic door accessories with the addition of the Hinge Strap and a Speakeasy Kit. Our Hinge Straps and Speakeasy Kit are handcrafted from durable aluminum that resists rust and discoloration. The Speakeasy Kit comes with a distinctive rounded iron grill that enhances the old world styling of our Rustic Door Collection and helps to create a personalized look for your new entry way.

18" Hinge Straps

ACCHGSTP18

FEATURES & BENEFITS

- Durable Powder Coat Finish
- Combats Rust and Discoloration
- Beautifully Textured
- Masterfully Handcrafted

View In
6'8"

DRA2D
ACCSPKY0910KIT

View Out
8'0"

DRA2R80
ACCHGSTP18
ACCSPKY0910KIT

View In
6'8"

DRA2D
ACCSPKYGSB0KIT

View Out
8'0"

DRA2R80
ACCHGSTP18
ACCSPKYGSB0KIT

View Out
8'0"

DRAPR80
ACCHGSTP18

ACCESSORIES ARE APPLIED BY PLASTPRO DISTRIBUTORS / DEALERS

● IN STOCK ● EXTENDED LEAD TIME

MAHOGANY

Mahogany Door • DRM4E

The Mahogany Series brings a beloved wood texture into traditional, timeless styles. Our doors come with classic panel designs that can carry all of our decorative glass designs. This series radiates beauty, elegance, and strength to your home.

ALL MAHOGANY DOORS ARE SHOWN PRE-FINISHED

HVHZ IMPACT NOT AVAILABLE IN 3'6" ● IN STOCK ● EXTENDED LEAD TIME

MAHOGANY
THREE PANEL DELUXE DOOR

DRM3D SLM3D

GLASS OPTIONS

BRE3V2P/Z CAS3V2P CHR3V2P/Z TAB3V2P

BRE3V1P/Z CAS3V1P CHR3V1P/Z TABFL1P

● IN STOCK ● EXTENDED LEAD TIME

MAHOGANY
FOUR PANEL EYEBROW DOOR

6'8"

3'0"

DRM4E

1'0" • 1'2"

SLM60

6'8"

BREEYEP/Z

● IN STOCK ● EXTENDED LEAD TIME

Maahogany Door • DRK2B • Glass CAS3v2P

MAHOGANY
FOUR PANEL BLANK TOP DOOR

DRM40 SLM60

GLASS OPTIONS

CASHR1P

CHRHR1P/Z

TABHR1P

CHIHL4
CHIHL3 (2'6")

ARTHL4P
ARTHL3P (2'6")

ARZHL4Z
ARZHL3Z (2'6")

BREHL4P/Z

CASHL4P
CASHL3P (2'6")

CHRHL4P/Z

ELZHL4P
ELZHL3P (2'6")

KENHL4P
KENHL3P (2'6")

OXFHL4

RIVHL4

SOLHL4P
SOLHL3P (2'6")

● IN STOCK ● EXTENDED LEAD TIME

FOUR PANEL BLANK TOP DOOR

6'8"

SPRHL4P

6'8"

TABHL4P
TABHL3P (2'6")

6'8"

MBC/MBLHL4

6'8"

CAMFL7
CAMFL5 (2'6")

6'8"

PCLFL7
PCLFL5 (2'6")

6'8"

CHIFL7
CHIFL5 (2'6")

6'8"

ABRFL7Z
ABRFL5Z (2'6")

6'8"

ARTFL7P
ARTFL5P (2'6")

6'8"

ARZFL7Z
ARZFL5Z (2'6")

6'8"

BREFL7P/Z

6'8"

CASFL7P
CASFL5P (2'6")

6'8"

CHRHFL7P/Z

6'8"

ELZFL7P
ELZFL5P (2'6")

6'8"

KENFL7P
KENFL5P (2'6")

6'8"

OXFFL7

6'8"

RIVFL7
RIVFL5 (2'6")

6'8"

SOLFL7P
SOLFL5P (2'6")

6'8"

SPRFL7P

6'8"

TABFL7P
TABFL5P (2'6")

6'8"

MBC/MBLFL7
MBC/MBLFL5 (2'6")

6'8"

CHIHL2

6'8"

ARTHL2P

6'8"

ARZHL2Z

6'8"

BREHL2P/Z

6'8"

CASHL2P

6'8"

CHRHL2P/Z

6'8"

ELZHL2P

FOUR PANEL BLANK TOP DOOR

6'8"

KENHL2P

6'8"

OXFHL2

6'8"

RIVHL2

6'8"

SOLHL2P

6'8"

SPRHL2P

6'8"

MBC/MBLHL2

6'8"

CAMFL1

6'8"

PCLFL1

6'8"

CHIFL1

6'8"

ABRFL1Z

6'8"

ARTFL1P

6'8"

ARZFL1Z

6'8"

BREFL1P/Z

6'8"

CASFL1

6'8"

CHRFL1P/Z

6'8"

ELZFL1P

6'8"

KENFL1P

6'8"

OXFFL1

6'8"

RIVFL1

6'8"

SOLFL1P

6'8"

SPRFL1P

6'8"

TABFL1P

6'8"

MBC/MBLFL1

MAHOGANY
TRUE FOUR PLANK DOOR

6'8"

3'6"

DRM41

● IN STOCK ● EXTENDED LEAD TIME

MAHOGANY
SIX PANEL DOOR

DRM60 SLM60

DRM6080 SLM6080

GLASS OPTIONS

ARTTL1P

ARZTL1Z

ELZTL1P

SPRTL1P

CAM346

PCL346

CHI346

ARTHL2P

ARZHL2Z

ELZHL2P

SPRHL2P

CAMFL2

PCLFL2

CHIFL2

● IN STOCK ● EXTENDED LEAD TIME

ALL MAHOGANY DOORS ARE SHOWN PRE-FINISHED

Mahogany Door • DRM60 • Glass ARTTL1P

FIR GRAIN

Fir Grain Door DRF3C • Glass B06 • Accessory ACSDF23006

Our Fir Grain Series has straight, fine vertical graining that produces outstanding results. Accessorized with: simulated divided lights (SDL) and a dentil shelf, it's no surprise it's become a favorite. These fir doors create fine details and give your home a traditional, craftsman appeal.

ALL FIR GRAIN DOORS ARE SHOWN PRE-FINISHED

● COMING SOON - PLEASE CALL REGARDING AVAILABILITY ● IN STOCK ● EXTENDED LEAD TIME

FIR
CRAFTSMAN DOOR

DIRECT GLAZED

DRF3C & DRF3C80 & MATCHING SIDELITES ARE ONLY AVAILABLE WITH GLASS

DRF3C SLF3C SLFDC DRF3C80 SLF3C80

GLASS OPTIONS

G000 B03P B06P ARTP ARZZ KENP SOLP

SPRP G000 B03P B06P ARTP ARZZ KENP

● IN STOCK ● EXTENDED LEAD TIME ● EXTENDED LEAD TIME ON GLASS

FIR GRAIN CRAFTSMAN DOOR

8'0"

SOLP

8'0"

SPRP

6'8"

G000

8'0"

6'8"

G000

8'0"

6'8"

B01P

8'0"

6'8"

B02P

8'0"

6'8"

ARTP

8'0"

6'8"

ARZZ

8'0"

6'8"

KENP

8'0"

6'8"

SOLP

8'0"

6'8"

SPRP

FIR GRAIN
SHAKER CRAFTSMAN DOOR

4 PANEL SQUARE TOP

6'8"

2'8" • 2'10" • 3'0"

DRF3F

1'0" • 1'2"

SLF3F
LowE

8'0"

3'0" • 3'6"

DRF3F80

FIR GRAIN 5 PANEL SHAKER DOOR

6'8"

2'8" • 2'10" • 3'0"

DRF50

● IN STOCK ● EXTENDED LEAD TIME ● COMING SOON - PLEASE CALL REGARDING AVAILABILITY

FIR GRAIN ACCESSORIES

3 Lite

6'8" **ACSDF/23001**
8'0" **ACSDF/23005**

SIMULATED DIVIDED LIGHTS "SDL" BARS

Plastpro Simulated Divided Lights (SDL Bars) are en energy efficient alternative to true divided lights that prevent unwanted heat or cold from entering your home. They can be used on the interior or exterior of the door to create a personalized look.

6 Lite

6'8" **ACSDF/23002**
8'0" **ACSDF/23006**

Sidelite

ACSDF/23004

FEATURES & BENEFITS

- Easy installation using common wood working tools and equipment.
- Will not rot or absorb moisture and resists the growth of fungus and mildew.
- Closed cellular structure prevents paint from peeling off the surface.
- Will not warp or crack when properly installed, or be affected by UV rays when properly coated.

4 Block Dentil Shelf

ACDSFT2704

DENTIL SHELF

Plastpro Dentil Shelves are made of lightweight High Density Polyurethane (HDP) and will not warp, rot, or crack. HDP is an excellent alternative to traditional wood products. They are available in Oak, Smooth, and Fir grain finishes.

FEATURES & BENEFITS

- Recreate Classic Designs
- Create Custom Looks
- Affordable

ACCESSORIES ARE APPLIED BY PLASTPRO DISTRIBUTORS / DEALERS

OAK GRAIN

Oak Grain Door • DRG6-C

Dressed in a rich oak grain texture, our Oak series gives a classic look to your home. Oak doors come in many panel designs. Mix and match these styles with our entire glass line to find the combination that best brings out your homes unique characteristics. These doors create a timeless look that will never go out of style.

ALL OAK GRAIN DOORS ARE SHOWN PRE-FINISHED

DRG00

DRG0070

DRG0080

DRG20

DRG29 DRG2980

DRG3E

DRG3P

DRG3080

DRG31 DRG3170

DRG4B

DRG40

DRG41

DRG4170

DRG4180

DRG49

DRG6B

DRG6C

DRG60 DRG6080

DRG61 DRG6170

DRG6180

DRG63

DRG80 DRG8080

DRG90

DRG9180

HVHZ IMPACT NOT AVAILABLE IN 3'6" ● IN STOCK ● EXTENDED LEAD TIME

OAK GRAIN
FLUSH PANEL DOOR

DRG00 SLG00

DRG0070 SLG0070

DRG0080 SLG0080

GLASS OPTIONS

CAMFL7
CAMFL5 (2'6")

PCLFL7
PCLFL5 (2'6")

CHIFL7
CHIFL5 (2'6")

ABRFL7Z
ABRFL5Z (2'6")

ARTFL7P
ARTFL5P (2'6")

ARZFL7Z
ARZFL5Z (2'6")

BREFL7P/Z

CASFL7P
CASFL5P (2'6")

CHRFL7P/Z

ELZFL7P
ELZFL5P (2'6")

KENFL7P
KENFL5P (2'6")

OXFFL7

RIVFL7
RIVFL5 (2'6")

SOLFL7P
SOLFL5P (2'6")

● IN STOCK ● EXTENDED LEAD TIME

6'8"

SPRFL7P
SPRFL5P (2'6")

6'8"

TABFL7P
TABFL5P (2'6")

6'8"

MBC/MBLFL7
MBC/MBLFL5 (2'6")

7'0"

CAMFL7
CAMFL5 (2'6")

7'0"

PCLFL7
PCLFL5 (2'6")

7'0"

CHIFL7
CHIFL5 (2'6")

7'0"

ABRFL7Z
ABRFL5Z (2'6")

7'0"

ARTFL7P
ARTFL5P (2'6")

7'0"

ARZFL7Z
ARZFL5Z (2'6")

7'0"

BREFL7P/Z
BREFL5P/Z (2'6")

7'0"

CASFL7P
CASFL5P (2'6")

7'0"

CHRFL7P/Z

7'0"

ELZFL7P
ELZFL5P (2'6")

7'0"

KENFL7P
KENFL5P (2'6")

7'0"

OXFFL7

7'0"

RIVFL7
RIVFL5 (2'6")

7'0"

SOLFL7
SOLFL5 (2'6")

7'0"

SPRFL7
SPRFL5 (2'6")

7'0"

TABFL7P
TABFL5P (2'6")

7'0"

MBC/MBLFL7
MBC/MBLFL5 (2'6")

8'0"

CAMFL8
CAMFL6 (2'6")

8'0"

PCLFL8
PCLFL6 (2'6")

8'0"

CHIFL8
CHIFL6 (2'6")

8'0"

ABRFL8Z
ABRFL6Z (2'6")

8'0"

ARTFL8P

8'0"

ARZFL8Z

8'0"

BREFL8P/Z

8'0"

CASFL8P

OAK GRAIN FLUSH PANEL DOOR

ELZFL8P
ELZFL6P (2'6")

KENFL8P

OXFFL8

SOLFL8P

TABFL8P

MBC/MBLFL8
MBC/MBLFL6 (2'6")

CAMFL1 & FL2

PCLFL1 & FL2

CHIFL1 & FL2

ABRFL1Z & FL2Z

ARTFL1P & FL2P

ARZFL1Z & FL2Z

BREFL1P/Z & FL2P/Z

CASFL1P & FL2P

CHRFL1P/Z

ELZFLP1 & FL2P

KENFLP1 & FL2P

OXFFL1 & FL2

RIVFL1

SOLFL1P & FL2P

SPRFL1P & FL2P

TABFL1P & FL2P

MBC/MBLFLP & FL2

Oak Grain Door • DRG00 ABRFL7Z

OAK GRAIN
3/4 HERITAGE DOOR

DRG20 SLG3E

GLASS OPTIONS

BRE3V2P/Z

CAS3V2P

CHR3V2P/Z

TAB3V2P

CAS343P

BRE341P/Z

CAS341P

CHR341P/Z

TAB341P

● IN STOCK ● EXTENDED LEAD TIME

OAK GRAIN
3/4 TWO PANEL DOOR

DRG29 SLG3E

DRG2980 SLG3080

GLASS OPTIONS

CAM342

PCL342

CHI342

ART342P

ARZ342Z

BRE342P/Z

CAS342P

CHR342P/Z

ELZ342P

KEN342P

OXF342

SOL342P

SPR342P

TAB342P

● IN STOCK ● EXTENDED LEAD TIME

3/4 TWO PANEL DOOR

DESCRIPTION

8'0"

CAMFL7

8'0"

PCLFL7

8'0"

CHIFL7

8'0"

ABRFL7Z

8'0"

ARTFL7P

8'0"

ARZFL7Z

8'0"

BREFL7P/Z

8'0"

CASFL7P

8'0"

CHRFL7P/Z

8'0"

ELZFL7P

8'0"

KENFL7P

8'0"

OXFFL7

8'0"

RIVFL7

8'0"

SOLFL7P

8'0"

SPRFL7P

8'0"

TABFL7P

8'0"

MBC/MBLFL7

8'0"

CAMFL1

8'0"

PCLFL1

8'0"

CHIFL1

8'0"

ABRFL1Z

8'0"

6'8"

ART341P & FL1P

8'0"

6'8"

ARZ341Z & FL1Z

8'0"

6'8"

BRE341P/Z & FL1P/Z

3/4 TWO PANEL DOOR

CAS341 & FL1P

CHR341P/Z & FL1P/Z

ELZ341P & FL1P

KEN341 & FL1

OXF341 & FL1

RIVFL1

SOL341P & FL1P

SPR341P & FL1P

TAB341P & FL1P

MBC/MBLFL1

Oak Grain Door • DRG29 • Glass OXF342

OAK GRAIN
3/4 ELITE DOOR

DRG3E SLG3E

GLASS OPTIONS

BRE3V2P/Z

CAS3V2P

CHR3V2P/Z

TAB3V2P

CAS343P

BREFL1P/Z

CAS341P

CHR341P/Z

TAB341P

● IN STOCK ● EXTENDED LEAD TIME

OAK GRAIN
3/4 PREMIUM DOOR

DRG3P SLG3P

GLASS OPTIONS

BRE3V2P/Z

CAS3V2P

CHR3V2P/Z

TAB3V2P

BRE3V1P/Z

CAS3V1P

CHR3V1P/Z

OAK GRAIN
3/4 PANEL DOOR

DRG3080 SLG3080

GLASS OPTIONS

BRE3V3P/Z

CAS3V3P

CAMFL7

PCLFL7

CHIFL7

ABRFL7Z

ARTFL7P

ARZFL7Z

BREFL7P/Z

CASFL7P

CHRFL7P/Z

ELZFL7P

KENFL7P

OXFFL7

● IN STOCK ● EXTENDED LEAD TIME

8'0"

RIVFL7

8'0"

SOLFL7P

8'0"

SPRFL7P

8'0"

TABFL7P

8'0"

MBC/MBLFL7

8'0"

CAMFL1

8'0"

PCLFL1

8'0"

CHILFL1

8'0"

ABRFL1Z

8'0"

ARTFL1P

8'0"

ARZFL1Z

8'0"

BREFL1P/Z

8'0"

CASFL1P

8'0"

CHRFL1P/Z

8'0"

ELZFL1P

8'0"

KENFL1P

8'0"

OXFFL1

8'0"

RIVFL1

8'0"

SOLFL1P

8'0"

SPRFL1P

8'0"

TABFL1P

8'0"

MBC/MBLFL1

OAK GRAIN
THREE PANEL DOOR

6'8"

3'0"

DRG31

7'0"

3'0"

DRG3170

● IN STOCK ● EXTENDED LEAD TIME

OAK GRAIN
FOUR PANEL BLANK TOP DOOR

DRG40 SLG60

GLASS OPTIONS

CASHR1P

CHRHR1P/Z

TABHR1P

CHIHL4

ARTHL4P

ARZHL4Z

BREHL4P/Z

CASHL4P

CHRHL4P/Z

ELZHL4P

KENHL4P

OXFHL4

RIVHL4

SOLHL4P

● IN STOCK ● EXTENDED LEAD TIME

FOUR PANEL BLANK TOP DOOR

6'8"

SPRHL4P

6'8"

TABHL4P

6'8"

MBC/MBLHL4

6'8"

CHIHL2

6'8"

ARTHL2P

6'8"

ARZHL2Z

6'8"

BREHL2P/Z

6'8"

CASHL2P

6'8"

CHRHL2P/Z

6'8"

ELZHL2P

6'8"

KENHL2P

6'8"

OXFHL2

6'8"

RIVHL2

6'8"

SOLHL2P

6'8"

SPRHL2P

6'8"

TABFL1P

6'8"

MBC/MBLHL2

Oak Grain Door • DRG6080

OAK GRAIN
TRUE FOUR PANEL DOOR

6'8"

2'8" • 2'10" • 3'0"

1'0" • 1'2"

DRG41
DRG4B (No matching sidelite)

SLG60

7'0"

2'8" • 2'10" • 3'0"

1'0" • 1'2"

DRG4170

SLG4170

8'0"

2'8" • 2'10" • 3'0"

1'0" • 1'2"

DRG4180

SLG4180

GLASS OPTIONS

6'8"

CHIHL4

6'8"

ARTHL4P

6'8"

ARZHL4Z

6'8"

BREHL4P/Z

6'8"

CASHL4P

6'8"

CHRHL4P

6'8"

ELZHL4P

6'8"

KENHL4P

6'8"

OXFHL4

6'8"

RIVHL4

6'8"

SOLHL4P

6'8"

SPRHL4P

6'8"

TABHL4P

6'8"

MBC/MBLHL4

● IN STOCK ● EXTENDED LEAD TIME

7'0"

CHIHL4

7'0"

ARTHL4P

7'0"

ARZHL4Z

7'0"

BREHL4P/Z

7'0"

CASHL4P

7'0"

CHRHL4P

7'0"

ELZHL4P

7'0"

KENHL4P

7'0"

OXFHL4

7'0"

RIVHL4

7'0"

SOLHL4P

7'0"

SPRHL4P

7'0"

TABHL4P

7'0"

MBC/MBLHL4

8'0"

CAM342

8'0"

PCL342

8'0"

CHI342

8'0"

ART342P

8'0"

ARZ342Z

8'0"

BRE342P/Z

8'0"

CAS342P

8'0"

CHR342P

8'0"

ELZ342P

8'0"

KEN342P

8'0"

OXF342

8'0"

SOL342P

8'0"

SPR342P

8'0"

TAB342P

TRUE FOUR PANEL DOOR

CHIHL2

ARTHL2P & 341P

ARZHL2Z & 341Z

BREHL2P/Z & 341P/Z

CASHL2P & 341P

CHRHL2P/Z & 341P/Z

ELZHL2P & 341P

KENHL2P & 341P

OXFHL2 & 341

RIVHL2

SOLHL2P & 341P

SPRHL2P & 341P

TABFL1P & 341P

MBC/MCLHL2

OAK GRAIN
3/4 FOUR PANEL DOOR

DRG49 SLG49

GLASS OPTIONS

CAM342

PCL342

CHI342

ART342P

ARZ342Z



BRE342P/Z

CAS342P

CHR342P/Z

ELZ342P

KEN342P

OXF342

SOL342P

SPR342P

TAB342P

● IN STOCK ● EXTENDED LEAD TIME

3/4 FOUR PANEL DOOR

DESCRIPTION

6'8"

ART341P

6'8"

ARZ341Z

6'8"

BRE341P/Z

6'8"

CAS341P

6'8"

CHR341P/Z

6'8"

ELZ341P

6'8"

KEN341P

6'8"

OXF341

6'8"

SPR341P

6'8"

SOL341P

6'8"

TAB341P

OAK GRAIN
SIX PANEL CRAFTSMAN DOOR

6'8"

3'0"

DRG6C

OAK GRAIN ACCESSORIES AVAILABLE ON PAGE 107.

GLASS OPTIONS

6'8"

ARTTL3P

6'8"

ARZTL3Z

6'8"

BRETL3P/Z

6'8"

ELZTL3P

6'8"

OXFTL3

6'8"

RIVTL3

6'8"

SOLTL3P

6'8"

SPRTL3P

● IN STOCK ● EXTENDED LEAD TIME

OAK GRAIN
SIX PANEL DOOR

DRG60 SLG60

DRG6080 SLG4180

GLASS OPTIONS

ARTTL1P
ARTTL5P (2'6")

ARZTL1Z
ARTZTL5Z (2'6")

ELZTL1P

SPRTL1P

CAMHL6

PCLHL6

CHIHL6

CASHL6P

SPRHL6P

ARTFL1P

ARZFL1Z

ELZFL1P

SPRFL1P

CAS341P/Z

SPR341P

● IN STOCK ● EXTENDED LEAD TIME

OAK GRAIN
SIX PANEL UTILITY DOOR

DRG61
DRG6B (No matching sidelite)

SLG61

DRG6170

SLG6170

DRG6180

GLASS OPTIONS

CHIHL4

ARTHL4P

ARZHL4Z

BREHL4P/Z

CASHL4P

CHRHL4P/Z

ELZHL4P

KENHL4P

OXFHL4

RIVHL4

SOLHL4P

SPRHL4P

TABHL4P

MBC/MBLHL4

● IN STOCK ● EXTENDED LEAD TIME

SIX PANEL UTILITY DOOR

7'0"

CHIHL4

7'0"

ARTHL4P

7'0"

ARZHL4Z

7'0"

BREHL4P/Z

7'0"

KENHL4P

7'0"

OXFHL4

7'0"

RIVHL4

7'0"

SOLHL4P

7'0"

SPRHL4P

7'0"

TABHL4P

7'0"

MBC/MBLHL4

8'0"

CHI342

8'0"

ART342P

8'0"

ARZ342Z

8'0"

BRE342P/Z

8'0"

CAS342P

8'0"

CHR342P/Z

8'0"

ELZ342P

8'0"

KEN342P

8'0"

OXF342

8'0"

SOL342P

8'0"

SPR342P

8'0"

TAB342P

CHIHL2

ARTHL2P

ARZHL2Z

BREHL2P/Z

CASHL2P

CHRHL2P/Z

ELZHL2P

KENHL2P

OXFHL2

RIVHL2

SOLHL2P

SPRHL2P

TABFL1P

MBC/MBLHL2P

OAK GRAIN
TRUE SIX PANEL NARROW DOOR

DRG63 SLG60

GLASS OPTIONS

CHIHL4

ARTHL4P

ARZHL4Z

BREHL4P/Z

CASHL4P

CHRHL4P/Z

ELZHL4P

KENHL4P

OXFHL4

RIVHL4

SOLHL4P

SPRHL4P

TABHL4P

MBC/MBLHL4

● IN STOCK ● EXTENDED LEAD TIME

TRUE SIX PANEL NARROW DOOR

6'8"

CHIHL2P

6'8"

ARTHL2P

6'8"

ARZHL2Z

6'8"

BREHL2ZP/Z

6'8"

CASHL2P

6'8"

CHRL2ZP/Z

6'8"

ELZHL2P

6'8"

KENHL2P

6'8"

OXFHL2

6'8"

RIVHL2

6'8"

SOLHL2P

6'8"

SPRHL2P

6'8"

TABFL1

6'8"

MBC/MBLHL2

OAK GRAIN
EIGHT PANEL DOOR

DRG80 SLG80

DRG8080

GLASS OPTIONS

CAM8C2

PCL8C2

ART8C2P

ARZ8C2Z

BRE8C2P/Z

CHR8C2P/Z

BRE8C3P/Z

CAS8C3P

CAM8C2

PCL8C2Z

ART8C2P

ARZ8C2Z

BRE8C2P/Z

CHR8C2P/Z

● IN STOCK ● EXTENDED LEAD TIME

OAK GRAIN
NINE PANEL DOOR

6'8"

2'8" • 3'0"

DRG90

GLASS OPTIONS

6'8"

BRE9P1P/Z

6'8"

SPR9P1P

● IN STOCK ● EXTENDED LEAD TIME

Oak Grain Door • DRG80 • Glass ART8C2P

OAK GRAIN
NINE PANEL DOOR

8'0"

3'0"

DRG9180

GLASS OPTIONS

8'0"

ART341P

8'0"

ARZ341Z

8'0"

BRE341P/Z

8'0"

CAS341P

8'0"

CHR341P/Z

8'0"

ELZ341P

8'0"

KEN341P

8'0"

OXF341

8'0"

SOL341P

8'0"

SPR341P

8'0"

TAB341P

● IN STOCK ● EXTENDED LEAD TIME

OAK GRAIN ACCESSORIES

4 Block Dentil Shelf

ACDSGT2704

16 Block Dentil Shelf

ACDSGT2716

DENTIL SHELF

Plastpro Dentil Shelves are made of lightweight High Density Polyurethane (HDP) and will not warp, rot, or crack. HDP is an excellent alternative to traditional wood products. They are available in Oak, Smooth, and Fir grain finishes.

FEATURES & BENEFITS

- Recreate Classic Designs
- Create Custom Looks
- Affordable

6'8"

DRG6C
ARTTL3P
ACDSGT2704

6'8"

DRG6C
BRETL3Z
ACDSGT2716

6'8"

DRG6C
ELZTL3P
ACDSGT2704

6'8"

DRG6C
SOLTL3P
ACDSGT2716

6'8"

DRG6C
SPRTL3P
ACDSGT2704

ACCESSORIES ARE APPLIED BY PLASTPRO DISTRIBUTORS / DEALERS

SMOOTH

Our Smooth Doors are made with a pre-pigmented white skin; its simplicity gives a modern design and feel to any home. Our Smooth skin incorporated with a variety of panel designs and glass options, gives a clean, minimal look to any of our fiberglass doors.

DRS00

DRS0070

DRS0080

DRS2B

DRS2B80

DRS2D

DRS2D80

DRS2G

DRS2G80

DRS20

DRS29 DRG2980

DRS3C

DRS3C80

DRS3E

DRS3F

DRS3F80

DRS3P

DRS3080

DRS31 DRS3170

DRS4B

DRS40

DRS41

DRS4170

DRS4180

HVHZ IMPACT NOT AVAILABLE IN 3'6" • COMING SOON • MODELS ONLY AVAILABLE WITH GLASS. • IN STOCK • EXTENDED LEAD TIME

DOOR OVERVIEW

DRS42

DRS49

DRS50

DRS6B

DRS6C

DRS60

DRS6080

DRS61

DRS6170

DRS6180

DRS63

DRS80 DRS8080

DRS90

● IN STOCK ● EXTENDED LEAD TIME ● COMING SOON - PLEASE CALL FOR AVAILABILITY HVHZ IMPACT NOT AVAILABLE IN 3'6"

Smooth Door • DRS3C B0P6

SMOOTH
FLUSH PANEL DOOR

DRS00 SLS00

DRS0070 SLS0070

DRS0080 SLS0080

GLASS OPTIONS

6'8"

CAMFL7
CAMFL5 (2'6")

6'8"

PCLFL7
PCLFL5 (2'6")

6'8"

CHIFL7
CHIFL5 (2'6")

6'8"

ABRFL7Z
ABRFL5Z (2'6")

6'8"

ARTFL7P
ARTFL5P (2'6")

6'8"

ARZFL7Z
ARZFL5Z (2'6")

6'8"

BREFL7P/Z
BREFL5P/Z (2'6")

6'8"

CASFL7P
CASFL5P (2'6")

6'8"

CHRFL7P/Z

6'8"

ELZFL7P
ELZFL5P (2'6")

6'8"

KENFL7P
KENFL5P (2'6")

6'8"

OXFFL7

6'8"

RIVFL7
RIVFL5 (2'6")

6'8"

SOLFL7
SOLFL5 (2'6")

● IN STOCK ● EXTENDED LEAD TIME

6'8"

SPRFL7
SPRFL5 (2'6")

6'8"

TABFL7P
TABFL5P (2'6")

6'8"

MBC/MBLFL7
MBC/MBLFL5 (2'6")

7'0"

CAMFL7
CAMFL5 (2'6")

7'0"

PCLFL7
PCLFL5 (2'6")

7'0"

CHIFL7
CHIFL5 (2'6")

7'0"

ABRFL7Z
ABRFL5Z (2'6")

7'0"

ARTFL7P
ARTFL5P (2'6")

7'0"

ARZFL7Z
ARZFL5Z (2'6")

7'0"

BREFL7P/Z
BREFL5P/Z (2'6")

7'0"

CASFL7P
CASFL5P (2'6")

7'0"

CHRFL7P/Z

7'0"

ELZFL7P
ELZFL5P (2'6")

7'0"

KENFL7P
KENFL5P (2'6")

7'0"

OXFFL7

7'0"

RIVFL7
RIVFL5 (2'6")

7'0"

SOLFL7
SOLFL5 (2'6")

7'0"

SPRFL7
SPRFL5 (2'6")

7'0"

TABFL7P
TABFL5P (2'6")

7'0"

MBC/MBLFL7
MBC/MBLFL5 (2'6")

8'0"

CAMFL8
CAMFL6 (2'6")

8'0"

PCLFL8
PCLFL6 (2'6")

8'0"

CHIFL8
CHIFL6 (2'6")

8'0"

ABRFL8Z
ABRFL6Z (2'6")

8'0"

ARTFL8P

8'0"

ARZFL8Z

8'0"

BREFL8P/Z

8'0"

CASFL8P

SMOOTH FLUSH PANEL DOOR

ELZFL8P
ELZFL6P (2'6")

KENFL8P

OXFFL8

SOLFL8P

TABFL8P

MBC/MBLFL8
MBC/MBLFL6 (2'6")

CAMFL1 & FL2

PCLFL1 & FL2

CHIFL1 & FL2

ABRFL1Z & FL2Z

ARTFL1P & FL2P

ARZFL1Z & FL2Z

BREFL1P/Z & FL2P/Z

CASFL1P & FL2P

CHRFL1P/Z

ELZFLP1 & FL2P

KENFLP1 & FL2P

OXFFL1 & FL2

RIVFL1

SOLFL1P & FL2P

SPRFL1P

TABFL1P & FL2P

MBC/MBLFL1 & FL2

SMOOTH TWO PANEL DOOR

DRS2B SLS60

DRS2B80 SLS4180

GLASS OPTIONS

CHIHL4

ARTHL4P

ARZHL4Z

BREHL4P/Z

CASHL4P

CHRHL4P/Z

ELZHL4P

KENHL4P

OXFHL4

RIVHL4

SOLHL4P

SPRHL4P

TABHL4P

MBC/MBLHL4

● IN STOCK ● EXTENDED LEAD TIME

SMOOTH TWO PANEL DOOR

8'0"

CAM342

8'0"

PCL342

8'0"

CHI342

8'0"

ART342P

8'0"

ARZ342Z

8'0"

BRE342P/Z

8'0"

CAS342P

8'0"

CHR342P/Z

8'0"

ELZ342P

8'0"

KEN342P

8'0"

OXF342

8'0"

SOL342P

8'0"

SPR342P

8'0"

TAB342P

8'0"

6'8"

CHIHL2 & FL1
CHIFL2

8'0"

6'8"

ARTHL2P & FL1P
ART341P & FL2P

8'0"

6'8"

ARZHL2Z & FL1Z
ARZ341Z & FL2Z

8'0"

6'8"

BREHL2P/Z & FL1P/Z
ARZ341P/Z & FL2P/Z

8'0"

6'8"

CASHL2P & FL1P
CAS341P & FL2P

8'0"

6'8"

CHRHL2P/Z & FL1P/Z
CHR341P/Z

8'0"

6'8"

ELZHL2P & FL1P
ELZ341P & FL2P

8'0"

6'8"

KENHL2P & FL1P
KEN341P & FL2P

8'0"

6'8"

OXFHL2 & FL1
OXF341 & FL2

6'8"

RIVHL2 & FL1

8'0"

6'8"

SOLHL2P & FL1P
SOL341P & FL2P

8'0"

6'8"

SPRHL2P & FL1P
SPR341P & FL2P

8'0"

6'8"

TABFL1P
TAB341P & FL2P

8'0"

6'8" 6'8"

MBC/MBLHL2 & FL1
MBC/MBLFL2

Smooth Door • DRS4170

SMOOTH
TWO PANEL DOOR

DRS2D SLS60

DRS2D80 SLS4180

GLASS OPTIONS

CHIHL4

ARTHL4P

ARZHL4Z

BREHL4P/Z

CASHL4P

CHRHL4P/Z

ELZHL4P

KENHL4P

OXFHL4

RIVHL4

SOLHL4P

SPRHL4P

TABHL4P

MBC/MBLHL4

● IN STOCK ● EXTENDED LEAD TIME

8'0"

CAM342

8'0"

PCL342

8'0"

CHI342

8'0"

ART342P

8'0"

ARZ342Z

8'0"

BRE342P/Z

8'0"

CAS342P

8'0"

CHR342P/Z

8'0"

ELZ342P

8'0"

KEN342P

8'0"

OXF342

8'0"

SOL342P

8'0"

SPR342P

8'0"

TAB342P

8'0"

6'8"

CHIHL2 & FL1
CHIFL2

8'0"

6'8"

ARTHL2P & FL1P
ART341P

8'0"

6'8"

ARZHL2Z & FL1Z
ARZ341Z

8'0"

6'8"

BREHL2P/Z & FL1P/Z
BRE341P/Z

8'0"

6'8"

CASHL2P & FL1P
CAS341P

8'0"

6'8"

CHRHL2P/Z & FL1P/Z
CHR341P/Z

8'0"

6'8"

ELZHL2P & FL1P
ELZ341P

8'0"

6'8"

KENHL2P & FL1P
KEN341P

8'0"

6'8"

OXFHL2 & FL1
OXF341

6'8"

RIVHL2 & FL1

8'0"

6'8"

SOLHL2P & FL1P
SOL341P

8'0"

6'8"

SPRHL2P & FL1P
SPR341P

8'0"

6'8"

TABFL1P
TAB341

6'8" 6'8"

MBC/MBLHL2 & FL1

SMOOTH
COTTAGE TWO PANEL DOOR

DRS2G SLS60

DRS2G80 SLS4180

GLASS OPTIONS

CHIHL4

ARTHL4P

ARZHL4Z

BREHL4P/Z

CASHL4P

CHRHL4P/Z

ELZHL4P

KENHL4P

OXFHL4

RIVHL4

SOLHL4P

SPRHL4P

TABHL4P

MBC/MBLHL4

● IN STOCK ● EXTENDED LEAD TIME

SMOOTH COTTAGE TWO PANEL DOOR

8'0"

CAM342

8'0"

PCL342

8'0"

CHI342

8'0"

ART342P

8'0"

ARZ342Z

8'0"

BRE342P/Z

8'0"

CAS342P

8'0"

CHR342P/Z

8'0"

ELZ342P

8'0"

KEN342P

8'0"

OXF342

8'0"

SOL342P

8'0"

SPR342P

8'0"

TAB342P

8'0"

6'8"

CHIHL2 & FL1
CHIFL2

8'0"

6'8"

ARTHL2P & FL1P
ART341P

8'0"

6'8"

ARZHL2Z & FL1Z
ARZ341Z

8'0"

6'8"

BREHL2P/Z & FL1P/Z
BRE341P/Z

8'0"

6'8"

CASHL2P & FL1P
CAS341P

8'0"

6'8"

CHRHL2P/Z & FL1P/Z
CHR341P/Z

8'0"

6'8"

ELZHL2P & FL1P
ELZ341P

8'0"

6'8"

KENHL2P & FL1P
KEN341P

8'0"

6'8"

OXFHL2 & FL1
OXF341

6'8"

RIVHL2 & FL1

8'0"

6'8"

SOLHL2P & FL1P
SOL341P

8'0"

6'8"

SPRHL2P & FL1P
SPR341P

8'0"

6'8"

TABFL1P
TAB341P

8'0"

6'8" 6'8"

MBC/MBLHL2 & FL1
MBC/MBLFL2

SMOOTH
3/4 HERITAGE DOOR

DRS20 SLS3E

GLASS OPTIONS

BRE3V2P/Z

CAS3V2P

CHR3V2P/Z

TAB3V2P

CAS343P

BRE341P/Z

CAS341P

CHR341P/Z

TAB341P

● IN STOCK ● EXTENDED LEAD TIME

SMOOTH
3/4 TWO PANEL DOOR

DRS29

DRS2980 SLS3080

GLASS OPTIONS

CAM342

PCL342

CHI342

ART342P

ARZ342Z

BRE342P/Z

CAS342P

CHR342P/Z

ELZ342P

KEN342P

OXF342

SOL342P

SPR342P

TAB342P

● IN STOCK ● EXTENDED LEAD TIME

3/4 TWO PANEL DOOR

8'0"

CAMFL7

8'0"

PCLFL7

8'0"

CHIFL7

8'0"

ABRFL7Z

8'0"

ARTFL7P

8'0"

ARZFL7Z

8'0"

BREFL7P/Z

8'0"

CASFL7P

8'0"

CHRFL7P/Z

8'0"

ELZFL7P

8'0"

KENFL7P

8'0"

OXFFL7

8'0"

RIVFL7

8'0"

SOLFL7P

8'0"

SPRFL7P

8'0"

TABFL7P

8'0"

MBC/MBLFL7

8'0"

CAMFL1

8'0"

PCLFL1

8'0"

CHIFL1

8'0"

ABRFL1Z

8'0"

ARTFL1P

8'0"

ARZFL1Z

8'0"

BREFL1P/Z

3/4 TWO PANEL DOOR

8'0"

CASFL1P

8'0"

CHRFL1P/Z

8'0"

ELZFL1P

8'0"

KENFL1

8'0"

OXFFL1

8'0"

RIVFL1

8'0"

SOLFL1P

8'0"

SPRFL1P

8'0"

TABFL1P

8'0"

MBC/MBLFL1

Smooth Door • DR52980 • Glass SOLFL7P

SMOOTH
DIRECT GLAZE CRAFTSMAN

DRS3C & DRS3C80 & MATCHING SIDELITES ARE ONLY AVAILABLE WITH GLASS

DRS3C SLS3C

DRS3C80 SLS3C80

SMOOTH ACCESSORIES AVAILABLE ON PAGE 150 & 151.

GLASS OPTIONS

G000

B03P

B06P

SPRP

G000

B03P

B06P

SPRP

G000

B01P

B02P

SPRP

● IN STOCK ● EXTENDED LEAD TIME ● EXTENDED LEAD TIME ON GLASS

SMOOTH
3/4 ELITE DOOR

DRS3E SLS3E

GLASS OPTIONS

BRE3V2P/Z

CAS3V2P

CHR3V2P/Z

TAB3V2P

CAS343P

BREFL1P/Z

CAS341P

CHR341P/Z

TAB341P

● IN STOCK ● EXTENDED LEAD TIME

SMOOTH
THREE PANEL CRAFTSMAN

SHAKER PROFILE

DRS3F

SLS3F
LowE

DRS3F80



SMOOTH ACCESSORIES AVAILABLE ON PAGE 150 & 151.

GLASS OPTIONS

8'0"

ARTTL3P

8'0"

ARZTL3Z

8'0"

BRETL3P/Z

8'0"

ELZTL3P

8'0"

OXFTL3

8'0"

RIVTL3

8'0"

SOLTL3P

8'0"

SPRTL3P

● IN STOCK ● EXTENDED LEAD TIME ● COMING SOON - PLEASE CALL FOR AVAILABILITY

SMOOTH
3/4 PREMIUM DOOR

DRS3P SLS3P

GLASS OPTIONS

BRE3V2P/Z

CAS3V2P

CHR3V2P/Z

TAB3V2P

BRE3V1P/Z

CAS3V1P

CHR3V1P/Z

TABFL1P

SMOOTH
3/4 PANEL DOOR

8'0"

2'8" • 3'0" • 3'6"

DRS3080

1'0" • 1'2"

SLS3080

GLASS OPTIONS

8'0"

BRE3V3P/Z

8'0"

CAS3V3P

8'0"

CAMFL7

8'0"

PCLFL7

8'0"

CHIFL7

8'0"

ABRFL7Z

8'0"

ARTFL7P

8'0"

ARZFL7Z

8'0"

BREFL7P/Z

8'0"

CASFL7P

8'0"

CHRFL7P/Z

8'0"

ELZFL7P

8'0"

KENFL7P

8'0"

OXFFL7

● IN STOCK ● EXTENDED LEAD TIME

3/4 THREE PANEL DOOR

8'0"

RIVFL7

8'0"

SOLFL7P

8'0"

SPRFL7P

8'0"

TABFL7P

8'0"

MBC/MBLFL7

8'0"

CAMFL

8'0"

PCLFL1

8'0"

CHILFL1

8'0"

ABRFL1Z

8'0"

ARTFL1P

8'0"

ARZFL1Z

8'0"

BREFL1P/Z

8'0"

CASFL1P

8'0"

CHRFL1P/Z

8'0"

ELZFL1P

8'0"

KENFL1P

8'0"

OXFFL1

8'0"

RIVFL1

8'0"

SOLFL1P

8'0"

SPRFL1P

8'0"

TABFL1P

8'0"

MBC/MBLFL1

SMOOTH
THREE PANEL DOOR

6'8"

3'0"

DRS31

7'0"

3'0"

DRS3170

● IN STOCK ● EXTENDED LEAD TIME

SMOOTH
FOUR PANEL BLANK TOP DOOR

DRS40
DRS42 (2'6" No matching sidelite)

SLS60

GLASS OPTIONS

CASHR1P

CHRHR1P/Z

TABHR1P

CHIHL4
CHIHL3 (2'6")

ARTHL4P
ARTHL3P (2'6")

ARZHL4Z
ARZHL3Z (2'6")

BREHL4P/Z

CASHL4P
CASHL3P (2'6")

CHRHL4P/Z

ELZHL4P
ELZHL3P (2'6")

KENHL4P
KENHL3P (2'6")

OXFHL4

RIVHL4

SOLHL4P
SOLHL3P (2'6")

● IN STOCK ● EXTENDED LEAD TIME

FOUR PANEL BLANK TOP DOOR

6'8"

SPRHL4P

6'8"

TABHL4P
TABHL3P (2'6")

6'8"

MBC/MBLHL4

6'8"

CHIHL2

6'8"

ARTHL2P

6'8"

ARZHL2Z

6'8"

BREHL2P/Z

6'8"

CASHL2P

6'8"

CHRHL2P/Z

6'8"

ELZHL2P

6'8"

KENHL2P

6'8"

OXFHL2

6'8"

RIVHL2

6'8"

SOLHL2P

6'8"

SPRHL2P

6'8"

TABFL1P

6'8"

MBC/MBLHL2

SMOOTH
TRUE FOUR PANEL DOOR

DRS41
DRS4B (No matching sidelite)

SLS60

DRS4170

SLS4170

DRS4180

SLS4180

GLASS OPTIONS

CHIHL4

ARTHL4P

ARZHL4Z

BREHL4P/Z

CASHL4P/Z

CHRHL4P

ELZHL4P

KENHL4P

OXFHL4

RIVHL4

SOLHL4P

SPRHL4P

TABHL4P

MBC/MBLHL4

● IN STOCK ● EXTENDED LEAD TIME

TRUE FOUR PANEL DOOR

7'0"

CHIHL4

7'0"

ARTHL4P

7'0"

ARZHL4Z

7'0"

BREHL4P/Z

7'0"

CASHL4P

7'0"

CHRHL4P

7'0"

ELZHL4P

7'0"

KENHL4P

7'0"

OXFHL4

7'0"

RIVHL4

7'0"

SOLHL4P

7'0"

SPRHL4P

7'0"

TABHL4P

7'0"

MBC/MBLHL4

8'0"

CAM342

8'0"

PCL342

8'0"



CHI342

8'0"

ART342P

8'0"

ARZ342Z

8'0"

BRE342P/Z

8'0"

CAS342P

8'0"

CHR342P/Z

8'0"

ELZ342P

8'0"

KEN342P

8'0"

OXF342

8'0"

SOL342P

8'0"

SPR342P

8'0"

TAB342P

CHIHL2

ARTHL2P & 341P

ARZHL2Z & 341Z

BREHL2P/Z & 341P/Z

CASHL2P & 341P

CHRHL2P/Z & 341P/Z

ELZHL2P & 341P

KENHL2P & 341P

OXFHL2 & 341

RIVHL2

SOLHL2P & 341P

SPRHL2P & 341P

TABFL1P & 341P

MBC/MCLHL2

SMOOTH
3/4 FOUR PANEL DOOR

DRS49 SLS49

GLASS OPTIONS

6'8"
CAM342

6'8"
PCL342

6'8"
CHI342

6'8"
ART342P

6'8"
ARZ342Z

6'8"
BRE342P/Z

6'8"
CAS342P

6'8"
CHR342P/Z

6'8"
ELZ342P

6'8"
KEN342P

6'8"
OXF342

6'8"
SOL342P

6'8"
SPR342P

6'8"
TAB342P

● IN STOCK ● EXTENDED LEAD TIME

3/4 FOUR PANEL DOOR

6'8"

ART341P

6'8"

ARZ341Z

6'8"

BRE341P/Z

6'8"

CAS341P

6'8"

CHR341P/Z

6'8"

ELZ341P

6'8"

KEN341P

6'8"

OXF341

6'8"

SPR341P

6'8"

SOL341P

6'8"

TAB341P

SMOOTH
FIVE PANEL DOOR

SHAKER PROFILE

DRS50

● IN STOCK ● EXTENDED LEAD TIME

Smooth Door • DRS50

SMOOTH
SIX PANEL CRAFTSMAN DOOR

6'8"

3'0"

DRS6C

SMOOTH ACCESSORIES AVAILABLE ON PAGE 151.

GLASS OPTIONS

6'8"

ARTTL3P

6'8"

ARZTL3Z

6'8"

BRETL3P/Z

6'8"

ELZTL3P

6'8"

OXFTL3

6'8"

RIVTL3

6'8"

SOLTL3P

6'8"

SPRTL3P

● IN STOCK ● EXTENDED LEAD TIME

SMOOTH
SIX PANEL DOOR

DRS60 SLS60

DRS6080 SLS4180

GLASS OPTIONS

ARTTL1P
ARTTL5P (2'6")

ARZTL1Z
ARZTTL5Z (2'6")

ELZTL1P

SPRTL1P

CAMHL6

PCLHL6

CHIHL6

CASHL6P/Z

SPRHL6P

ARTFL1P

ARZFL1Z

ELZFL1P

SPRFL1P

CAS341P/Z

SPR341P

● IN STOCK ● EXTENDED LEAD TIME

SMOOTH
SIX PANEL UTILITY DOOR

DRS61
DRS6B (No matching sidelite)

SLS61

DRS6170

SLS6170

DRS6180

GLASS OPTIONS

CHIHL4

ARTHL4P

ARZHL4Z

BREHL4P/Z

CASHL4P

CHRHL4P/Z

ELZHL4P

KENHL4P

OXFHL4

RIVHL4

SOLHL4P

SPRHL4P

TABHL4P

MBC/MBLHL4

● IN STOCK ● EXTENDED LEAD TIME

SIX PANEL UTILITY DOOR

7'0"

CHIHL4

7'0"

ARTHL4P

7'0"

ARZHL4Z

7'0"

BREHL4P/Z

7'0"

CASHL4P

7'0"

CHRHL4P/Z

7'0"

ELZHL4P

7'0"

KENHL4P

7'0"

OXFHL4

7'0"

RIVHL4

7'0"

SOLHL4P

7'0"

SPRHL4P

7'0"

TABHL4P

7'0"

MBC/MBLHL4

8'0"

CHI342

8'0"

ART342P

8'0"

ARZ342Z

8'0"

BRE342P/Z

8'0"

CAS342P

8'0"

CHR342P/Z

8'0"

ELZ342P

8'0"

KEN342P

8'0"

OXF342

8'0"

SOL342P

8'0"

SPR342P

8'0"

TAB342P

SIX PANEL UTILITY DOOR

CHIHL2

ARTHL2P

ARZHL2Z

BREHL2P/Z

CASHL2P

CHRHL2P/Z

ELZHL2P

KENHL2P

OXFHL2

RIVHL2

SOLHL2P

SPRHL2P

TABFL1P

MBC/MBLHL2

SMOOTH
TRUE SIX PANEL NARROW DOOR

DRS63 SLS60

GLASS OPTIONS

CHIHL4

ARTHL4P

ARZHL4Z

BREHL4P/Z

CASHL4P

CHRHL4P/Z

ELZHL4P

KENHL4P

OXFHL4

RIVHL4

SOLHL4P

SPRHL4P

TABHL4P

MBC/MBLHL4

● IN STOCK ● EXTENDED LEAD TIME

TRUE SIX PANEL NARROW DOOR

6'8"

CHIHL2P

6'8"

ARTHL2P

6'8"

ARZHL2Z

6'8"

BREHL2ZP/Z

6'8"

CASHL2ZP

6'8"

CHRL2ZP/Z

6'8"

ELZHL2P

6'8"

KENHL2P

6'8"

OXFHL2

6'8"

RIVHL2

6'8"

SOLHL2P

6'8"

SPRHL2P

6'8"

TABFL1

6'8"

MBC/MBLHL2

Smooth Door • DRS42 • Glass KENHL4P

SMOOTH
EIGHT PANEL DOOR

DRS80 SLS80

DRS8080

GLASS OPTIONS

CAM8C2

PCL8C2

ART8C2P

ARZ8C2Z

BRE8C2P/Z

BRE8C3P/Z

CAS8C3P

CHR8C2P/Z

CAM8C2

PCL8C2Z

ART8C2P

ARZ8C2Z

BRE8C2P/Z

CHR8C2P/Z

● IN STOCK ● EXTENDED LEAD TIME

SMOOTH
NINE PANEL DOOR

6'8"

2'8" • 3'0"

DRS90

6'8"

BRE9P1P/Z

6'8"

SPR9P1P

● IN STOCK ● EXTENDED LEAD TIME

Smooth Door • DRS2GBO • Glass SPR342P

SMOOTH ACCESSORIES

3 Lite

6'8" **ACSDW/23005**
8'0" **ACSDW/23001**

SIMULATED DIVIDED LIGHTS "SDL" BARS

Plastpro Simulated Divided Lights (SDL Bars) are en energy efficient alternative to true divided lights that prevent unwanted heat or cold from entering your home. They can be used on the interior or exterior of the door to create a personalized look.

6 Lite

6'8" **ACSDW/23006**
8'0" **ACSDW/23002**

Sidelite

ACSDW/23004

FEATURES & BENEFITS

- Easy installation using common wood working tools and equipment.
- Will not rot or absorb moisture and resists the growth of fungus and mildew.
- Closed cellular structure prevents paint from peeling off the surface.
- Will not warp or crack when properly installed, or be affected by UV rays when properly coated.

DRS3CG000
ACSDW23005
ACDSSW2704

SLF3CG
G000

DRS3C80G000
ACSDW23001
ACDSSW2704

SLS3C80
G000

DRS3CG000
ACSDW23006
ACDSSW2704

SLS3CG000
ACSDF23004

DRS3C80G000
ACSDW23002
ACDSSW2704

SLS3C80G000
ACSDF23004

DRS6C
SPRTL3P
ACDSSW2404

ACCESSORIES ARE APPLIED BY PLASTPRO DISTRIBUTORS / DEALERS

Smooth Door • DRS6C • Glass SPRTL3

4 Block Dentil Shelf (DRS3F)

ACDSSW2404

4 Block Dentil Shelf

ACDSSW2704

16 Block Dentil Shelf

ACDSSW2716

DENTIL SHELF

Plastpro Dentil Shelves are made of lightweight High Density Polyurethane (HDP) and will not warp, rot, or crack. HDP is an excellent alternative to traditional wood products. They are available in Oak, Smooth, and Fir grain finishes.

FEATURES & BENEFITS

- Recreate Classic Designs
- Create Custom Looks
- Affordable

TRUE WHITE OAK



True White Oak Door • DRW60



The True White Oak Series combines the best features of our Smooth and Oak Doors. Any home can enjoy a rich oak texture pattern in a pre-pigmented white skin. With many choices of decorative glass to choose from, create a look that is both timeless and modern.

DRW00

DRW0070

DRW0080

DRW40

DRW41

DRW4170

DRW60

DRW6080

DRW61

DRW6170

DRW63

● IN STOCK ● EXTENDED LEAD TIME

TRUE WHITE OAK FLUSH PANEL DOOR

DRW00 SLW00

DRW0070 SLW0070

DRW0080 SLW0080

GLASS OPTIONS

6'8"

CAMFL7
CAMFL5 (2'6")

6'8"

PCLFL7
PCLFL5 (2'6")

6'8"

CHIFL7
CHIFL5 (2'6")

6'8"

ABRFL7Z
ABRFL5Z (2'6")

6'8"

ARTFL7P
ARTFL5P (2'6")

6'8"

ARZFL7Z
ARZFL5Z (2'6")

6'8"

BREFL7P/Z
BREFL5P/Z (2'6")

6'8"

CASFL7P
CASFL5P (2'6")

6'8"

CHRFL7P/Z

6'8"

ELZFL7P
ELZFL5P (2'6")

6'8"

KENFL7P
KENFL5P (2'6")

6'8"

OXFFL7

6'8"

RIVFL7
RIVFL5 (2'6")

6'8"

SOLFL7P
SOLFL5P (2'6")

● IN STOCK ● EXTENDED LEAD TIME

TRUE WHITE OAK FLUSH PANEL DOOR

6'8"

SPRFL7
SPRFL5 (2'6")

6'8"

TABFL7P
TABFL5P (2'6")

6'8"

MBC/MBLFL7
MBC/MBLFL5 (2'6")

7'0"

CAMFL7
CAMFL5 (2'6")

7'0"

PCLFL7
PCLFL5 (2'6")

7'0"

CHIFL7
CHIFL5 (2'6")

7'0"

ABRFL7Z
ABRFL5Z (2'6")

7'0"

ARTFL7P
ARTFL5P (2'6")

7'0"

ARZFL7Z
ARZFL5Z (2'6")

7'0"

BREFL7P/Z
BREFL5P/Z (2'6")

7'0"

CASFL7P
CASFL5P (2'6")

7'0"

CHRFL7P/Z

7'0"

ELZFL7P
ELZFL5P (2'6")

7'0"

KENFL7P
KENFL5P (2'6")

7'0"

OXFFL7

7'0"

RIVFL7
RIVFL5 (2'6")

7'0"

SOLFL7P
SOLFL5P (2'6")

7'0"

SPRFL7P
SPRFL5P (2'6")

7'0"

TABFL7P
TABFL5P (2'6")

7'0"

MBC/MBLFL7
MBC/MBLFL5 (2'6")

8'0"

CAMFL8
CAMFL6 (2'6")

8'0"

PCLFL8
PCLFL6 (2'6")

8'0"

CHIFL8
CHIFL6 (2'6")

8'0"

ABRFL8Z
ABRFL6Z (2'6")

8'0"

ARTFL8P

8'0"

ARZFL8Z

8'0"

BREFL8P/Z

8'0"

CASFL8P

TRUE WHITE OAK FLUSH PANEL DOOR

8'0"

ELZFL8P
ELZFL6P (2'6")

8'0"

KENFL8P

8'0"

OXFFL8

8'0"

SOLFL8P

8'0"

TABFL8P

8'0"

MBC/MBLFL8
MBC/MBLFL6 (2'6")

8'0"

6'8" 7'0"

CAMFL1 & FL2

8'0"

6'8" 7'0"

PCLFL1 & FL2

8'0"

6'8" 7'0"

CHIFL1 & FL2

8'0"

6'8" 7'0"

ABRFL1Z & FL2Z

8'0"

6'8" 7'0"

ARTFL1P & FL2P

8'0"

6'8" 7'0"

ARZFL1Z & FL2Z

8'0"

6'8" 7'0"

BREFL1P/Z & FL2P/Z

8'0"

6'8" 7'0"

CASFL1 & FL2

8'0"

6'8" 7'0"

CHRFL1P/Z

8'0"

6'8" 7'0"

ELZFLP1 & FL2P

8'0"

6'8" 7'0"

KENFLP1 & FL2P

8'0"

6'8" 7'0"

OXFFL1 & FL2

8'0"

6'8" 7'0"

RIVFL1

8'0"

6'8" 7'0"

SOLFL1P & FL2P

8'0"

6'8" 7'0"

SPRFL1P & FL2P

8'0"

6'8" 7'0"

TABFL1P & FL2P

8'0"

6'8" 7'0"

MBC/MBLFL1 & FL2

TRUE WHITE OAK
FOUR PANEL BLANK TOP DOOR

DRW40 SLW60

GLASS OPTIONS

CASHR1P

CHRHR1P/Z

TABHR1P

CHIHL4

ARTHL4P

ARZHL4Z

BREHL4P/Z

CASHL4P

CHRHL4P/Z

ELZHL4P

KENHL4P

OXFHL4

RIVHL4

SOLHL4P

● IN STOCK ● EXTENDED LEAD TIME

FOUR PANEL BLANK TOP DOOR

6'8"

SPRHL4P

6'8"

TABHL4P

6'8"

MBC/MBLHL4

6'8"

CHIHL2

6'8"

ARTHL2P

6'8"

ARZHL2Z

6'8"

BREHL2P/Z

6'8"

CASHL2P

6'8"

CHRHL2P/Z

6'8"

ELZHL2P

6'8"

KENHL2P

6'8"

OXFHL2

6'8"

RIVHL2

6'8"

SOLHL2P

6'8"

SPRHL2P

6'8"

TABFL1P

6'8"

MBC/MBLHL2

True White Oak Door • DRW00 • Glass TABFL7P

TRUE WHITE OAK
TRUE FOUR PANEL DOOR

DRW41 SLW60

DRW4170 SLW4170

GLASS OPTIONS

CHIHL4

ARTHL4P

ARZHL4Z

BREHL4P/Z

CASHL4P

CHRHL4P/Z

ELZHL4P

KENHL4P

OXFHL4

RIVHL4

SOLHL4P

SPRHL4P

TABHL4P

MBC/MBLHL4

● IN STOCK ● EXTENDED LEAD TIME

TRUE FOUR PANEL DOOR

7'0"

CHIHL4

7'0"

ARTHL4P

7'0"

ARZHL4Z

7'0"

BREHL4P/Z

7'0"

CASHL4P

7'0"

CHRHL4P/Z

7'0"

ELZHL4P

7'0"

KENHL4P

7'0"

OXFHL4

7'0"

RIVHL4

7'0"

SOLHL4P

7'0"

SPRHL4P

7'0"

TABHL4P

7'0"

MBC/MBLHL4

6'8" 7'0"

CHIHL2

6'8" 7'0"

ARTHL2P

6'8" 7'0"

ARZHL2Z

6'8" 7'0"

BREHL2P/Z

6'8" 7'0"

CASHL2P

6'8" 7'0"

CHRHL2P/Z

6'8" 7'0"

ELZHL2P

6'8" 7'0"

KENHL2P

6'8" 7'0"

OXFHL2

6'8" 7'0"

RIVHL2

6'8" 7'0"

SOLHL2P

6'8" 7'0"

SPRHL2P

6'8" 7'0"

TABFL1P

6'8" 7'0"

MBC/MCLHL2

TRUE WHITE OAK SIX PANEL DOOR

DRW60 SLW60

DRW6080 SLW4180

GLASS OPTIONS

ARTTL1P
ARTTL5P (2'6")

ARZTL1Z
ARZTTL5Z (2'6")

ELZTL1P

SPRTL1P

CAMHL6

PCLHL6

CHIHL6

CASHL6P

SPRHL6P

ARTFL1P

ARZFL1Z

ELZFL1P

SPRFL1P

CAS341P/Z

SPR341P

● IN STOCK ● EXTENDED LEAD TIME

TRUE WHITE OAK
SIX PANEL UTILITY DOOR

DRW61 SLW61

DRW6170 SLW6170

GLASS OPTIONS

CHIHL4

ARTHL4P

ARZHL4Z

BREHL4P/Z

CASHL4P

CHRHL4P/Z

ELZHL4P

KENHL4P

OXFHL4

RIVHL4

SOLHL4P

SPRHL4P

TABHL4P

MBC/MBLHL4

● IN STOCK ● EXTENDED LEAD TIME

SIX PANEL UTILITY DOOR

7'0"

CHIHL4

7'0"

ARTHL4P

7'0"

ARZHL4Z

7'0"

BREHL4P/Z

7'0"

CASHL4P

7'0"

CHRHL4P/Z

7'0"

ELZHL4P

7'0"

KENHL4P

7'0"

OXFHL4

7'0"

RIVHL4

7'0"

SOLHL4P

7'0"

SPRHL4P

7'0"

TABHL4P

7'0"

MBC/MBLHL4

6'8" 7'0"

CHIHL2

6'8" 7'0"

ARTHL2P

6'8" 7'0"

ARZHL2Z

6'8" 7'0"

BREHL2P/Z

6'8" 7'0"

CASHL2P

6'8" 7'0"

CHRHL2P/Z

6'8" 7'0"

ELZHL2P

6'8" 7'0"

KENHL2P

6'8" 7'0"

OXFHL2

6'8" 7'0"

RIVHL2

6'8" 7'0"

SOLHL2P

6'8" 7'0"

SPRHL2P

6'8" 7'0"

TABFL1P

6'8" 7'0"

MBC/MBLHL2

True White Oak Door • DRW00 • Glass ABRFL7Z

TRUE WHITE OAK
TRUE SIX PANEL NARROW DOOR

DRW63 SLW60

GLASS OPTIONS

CHIHL4

ARTHL4P

ARZHL4Z

BREHL4P/Z

CASHL4P

CHRHL4P/Z

ELZHL4P

KENHL4P

OXFHL4

RIVHL4

SOLHL4P

SPRHL4P

TABHL4P

MBC/MBLHL4

● IN STOCK ● EXTENDED LEAD TIME

TRUE SIX PANEL NARROW DOOR

6'8"

CHIHL2P

6'8"

ARTHL2P

6'8"

ARZHL2Z

6'8"

BREHL2ZP/Z

6'8"

CASHL2P

6'8"

CHRL2ZP/Z

6'8"

ELZHL2P

6'8"

KENHL2P

6'8"

OXFHL2

6'8"

RIVHL2

6'8"

SOLHL2P

6'8"

SPRHL2P

6'8"

TABFL1

6'8"

MBC/MBLHL2

True White Oak Door • DRW00 • Glass ELZFL7P

ONELITE

Onelite Door • DRS1080B

Our Onelite Series allows the ultimate amount of light into your home. The collections designs allow the glass to radiate and provide generous views. Doors are available in Clear Double-Insulated Tempered Glass, LoE2, LoE3, Grid Between Glass (GBG), or MiniBlinds.

ALL ONELITE DOORS ARE SHOWN PRE-FINISHED

DRS11 | DRS1170 | DRS1180

This model complies with ADA standards and can accommodate ADA required hardware for easy operation. Reinforced blocking and closures allow the following flexible hardware to be installed: panic bars, reinforced arm closures, and exit rim devices. These devices are easy to grasp with one hand and don't require tight grasping or twisting to operate.

DRG10 | DRG1070 | DRG1W80 Wide Stiles

DRG12

DRS10 | DRS1070 | DRS1Z80 Wide Stiles | DRS12 | DRS13 | DRS1380

DRM13 | DRSM380

HVHZ IMPACT NOT AVAILABLE IN 3'6" ● IN STOCK ● EXTENDED LEAD TIME

SMOOTH ADA DOOR

DRS11
Clear / LowE / Sound Barrier

DRS1170
Clear / LowE / Sound Barrier

DRS1180
Clear / LowE / Sound Barrier

SPECIAL ORDER
Sound Barrier Glass (STC:34) 3'6" and 4'0" widths

● IN STOCK ● EXTENDED LEAD TIME

FEATURES & BENEFITS

REINFORCED STILES
For Panic Bar hardware and Exit Rim devices.

6.5" TOP RAIL
Accommodates regular and parallel arm closer.

5.5" FACE STILES
Accommodates all types of commercial hardware (including 2-3/4" backset 161 prep and mortise locks).

ONELITE
FLUSH GLAZED FULL LITE DOOR



DRG10 | SLG10

DRG1070

DRG1W80
Wide Stiles

GLASS OPTIONS

CLEAR / LowE | G10 | G15 | ABRZ | MINIBLIND Clear / LowE | CLEAR / LowE | G10

G15 | ABRZ | MINIBLIND Clear / LowE | CLEAR / LowE | G12 | ABRZ | MINIBLIND Clear / LowE

● IN STOCK ● EXTENDED LEAD TIME

FLUSH GLAZED FULL LITE DOOR

6'8"

CLEAR / LowE

6'8"

G05

6'8"

ABRZ

6'8"

MINIBLIND
Clear / LowE

Onelite Oak Door • DRG10 G10

ONELITE
FLUSH GLAZED HALF LITE DOOR

DRG12 **SLG12**

GLASS OPTIONS

CLEAR / LowE

G09

MINIBLIND
Clear / LowE

CLEAR / LOWE / SOUND BARRIER

G03

CLEAR / LOWE

● IN STOCK ● EXTENDED LEAD TIME

ONELITE
FLUSH GLAZED FULL LITE DOOR

SMOOTH

DRS10 **SLS10**

DRS1070

DRS1Z80
Wide Stiles

SLS1Z80

GLASS OPTIONS

CLEAR / LowE

G10

G15

ABRZ

MINIBLIND
CLEAR / LowE

CLEAR / LowE

G10

G15

ABRZ

MINIBLIND
CLEAR / LowE

CLEAR / LowE

G12

ABRZ

MINIBLIND
CLEAR / LowE

● IN STOCK ● EXTENDED LEAD TIME

FLUSH GLAZED FULL LITE DOOR

6'8"

CLEAR / LowE

6'8"

G05

6'8"

ABRZ

6'8"

MINIBLIND
CLEAR / LowE

8'0"

CLEAR / LowE

8'0"

G06

8'0"

ABRZ

8'0"

MINIBLIND
CLEAR / LowE

Onelite Mahogany Door • DRM13 • Accessory L09

ONELITE
FLUSH GLAZED HALF LITE DOOR

SMOOTH

DRS12 SLS12

GLASS OPTIONS

CLEAR / LowE

G09

MINIBLIND
Clear / LowE

CLEAR / LowE

G03

CLEAR / LowE

● IN STOCK ● EXTENDED LEAD TIME

ONELITE
FLUSH GLAZE 3/4 LITE DOOR

DRS13 SLS13

DRS1380 SLS1380

GLASS OPTIONS

CLEAR / LowE

CLEAR / LowE

CLEAR / LowE

CLEAR / LowE

● IN STOCK ● EXTENDED LEAD TIME

ONELITE
FLUSH GLAZED 3/4 LITE DOOR

MAHOGANY

DRM13 SLM13

DRM1380 SLM1380

GLASS OPTIONS

CLEAR / LowE

CLEAR / LowE

CLEAR / LowE

CLEAR / LowE

● IN STOCK ● EXTENDED LEAD TIME

ONELITE ACCESSORIES

AVAILABLE IN SMOOTH & MAHOGANY

8 & 10 Lite

6'8" **ACSDM/S1368L08**
8'0" **ACSDM/S1380L10**

9 Lite

6'8" **ACSDM/S1368L09**
8'0" **ACSDM/S1380L09**

Sidelite

6'8" **ACSDM/S1368L02**
8'0" **ACSDM/S1380L02**

SIMULATED DIVIDED LIGHTS "SDL" BARS

Plastpro SDL Bars, also known as Simulated Divided Lights, are an energy efficient alternative to true divided lights to prevent unwanted heat or cold to enter your home. They can be used on the interior and exterior of your doorlite to create personalized look or to replicate classic designs. Plastpro SDL Bars add the rich three-dimensional effect of traditional wood products, without the risk of warping, cracking or rotting.

FEATURES & BENEFITS

- Easy installation using common wood working tools and equipment.
- Will not rot or absorb moisture, and resists the growth of fungus and mildew.
- Closed cellular structure prevents paint from peeling from the surface.
- Will not warp or crack when properly installed, or be affected by UV rays when properly coated.

6'8" 6'8"

DRM13C/L ACSDM1368 L08
SLM13C/L ACSDM1368 L02

8'0" 8'0"

DRM1380C/L ACSDM1380 L10
SLM1380C/L ACSDM1380 L02

6'8" 6'8"

DRM13C/L ACSDM1368 L09
SLM13C/L ACSDM1368 L02

8'0" 8'0"

DRM1380C/L ACSDM1380 L09
SLM1380C/L ACSDM1380 L02

ACCESSORIES ARE APPLIED BY PLASTPRO DISTRIBUTORS/DEALERS

PRE-FINISHED STAIN KIT & STAINING GUIDES

Plastpro Prefinished Stain Kit is an easy way to stain your fiberglass door exactly how you want for you home.

We've created easy step-by step directions using our stain kit to make staining your door a breeze. These staining instructions were created for staining our oak, rustic, fir, cherry, and mahogany skin series.

Our kit is designed exclusively for Plastpro fiberglass entry doors.

PRE-FINISHED KIT

Plastpro Pre-finished Stain Kit contains everything you need to stain one prehung door and two sidelites, or one double door unit.

BENEFITS & ADVANTAGES

- Protects the door from the sun, UV rays, and harsh winter weather.
- Faster drying time with environmentally friendly water based top coat. Easy to apply
- Special formula with long lasting vibrant colors.

BOX CONTAINS

- Zar® Exterior Water-Based Polyurethane (qt)
- Zar® Wood Stain (pt)
- Mineral Spirits (4 oz.)
- Two 2" Foam Brushes
- One 2.5" Synthetic Bristle Brush
- Cheese Cloths
- Two Stir Sticks
- One Pair of Latex Gloves
- Door Staining Instructions
- Two Skin Samples

LIMITED 5-YEAR FINISH WARRANTY

STAIN COLOR OPTIONS

The kit comes in seven different stain variations. Depending on your desired shade, you may need to apply the stain more than once for a darker finish. *Actual stain color may vary. To achieve the best results, test on the skin sample first.

MATERIALS NEEDED

PLASTPRO'S PRE-FINISH KIT OR:

A. Pre-Mixed Stain (1/2 pint)
B. Mineral Spirits (4 fl. oz.)
C. Top Coat/Sealer (20 fl. oz.)
D. Two Clean Cloth
E. One Pair Protective Gloves
F. 3" China Bristle Brush
G. Two Stir Sticks
H. Two Skin Samples
I. Finishing Instruction

STAINING INSTRUCTIONS FOR GRAINED DOORS & PF™ DOOR FRAMES

STEP 1: SURFACE PREPARATION

1. Lay door horizontally on saw horses or a table.
2. Remove all the hardware and mask off anything you don't want stained such as the glass insert.
3. DO NOT SAND GRAINED FIBERGLASS / PF™ DOOR FRAMES
4. Wipe the Door / PF™ Door Frame with mineral spirits to clean any dust or residue from the surface. Allow door surface to dry completely before applying stain.

STEP 2: STAIN APPLICATION

1. Starting at the center of the Door / PF™ Door Frame, stain one to two panels at a time. Apply stain with a 3" to 4" soft bristle brush, or rag. Apply enough stain to fill the Door / PF™ Door Frame grain.
2. With a clean, lint free 24" x 24" cloth, softly wipe the surface until you reach your desired tone.

TIP: When the rag becomes saturated with stain, refold to work with a less saturated section. Be sure to use the same rag for the whole Door / PF™ Door Frame.

3. After all stain is brushed evenly, you may ad finishing touches by using a small 1" to 2" brush or cotton swabs.
4. (If desired) Allow the Door / PF™ Door Frame to dry for at least 48 hours before applying another coat. Then, repeat above process.

STEP 3: PROTECTIVE TOP COAT

Application of polyurethane top coat with UV inhibitors like ZAR™ Exterior polyurethane, Wood Kote® Flagship UV, or Minwax® Fast Drying Polyurethane for exterior applications.

1. After stain has completely dried (48 hours), mix the top coat well and apply evenly using a clean dry 2" soft bristle brush or 3" foam brush. Be sure to stop when the grain changes direction.
2. Apply two or three coats of finish, allowing at least 24 hours of drying time between each application.

IMPORTANT TO NOTE:

- It is considered normal maintenance to re-apply the topcoat approximately every two years. Even a well-finished fiberglass door will be affected by exposure and weathering from sun, moisture, and air pollutants.
- Staining instructions are for Oil-Based, Premium Quality Wood Stains or similar product designed for use on a fiberglass surface. Please note the instructions indicated are specific to the Zar brand stain included in our stain kit. Please reference stain manufacturers instructions before applying any stain.

MATERIALS NEEDED

A. Lint-free cloth
B. Mineral Spirits
C. Rubber gloves
D. Masking tape
E. 4˝ Bristle Brush
F. For Water-based Application: Acrylic-based primer*/ acrylic latex-based exterior grade paint.

We recommend using Sherwin-Williams PrepRite® Bonding Primer with compatible acrylic-latex paint for optimal paint adhesion.

PAINTING INSTRUCTIONS FOR OAK GRAIN DOORS

STEP 1: SURFACE PREPARATION

1. Lay door horizontally on saw horses or a table.
2. Remove all the hardware and mask off anything you don't want painted, such as the glass insert.
3. DO NOT SAND GRAINED FIBERGLASS.
4. Wipe the door with mineral spirits to clean any dust or residue from the surface. Allow door surface to dry completely before applying stain paint. Do not use hydro-carbon based solvents to clean the surface as such products may leave a residue.
5. Apply primer with a 4" brush beginning with the panels. Follow the manufacturer's instructions for drying time before applying topcoat. Continue to apply the prime to ALL 6 sides. Doors which have been bored and mortised for hardware should be primed inside of the lock bore as well.
6. The primer must be completely dry before applying the topcoat.

STEP 2: PAINTING

1. Apply exterior grade paint with 4" brush beginning with the panels.
2. It is common practice to paint both stiles the same color as the exterior side of the door. If applying a second coat, follow the manufacturer's instructions for drying time between coats.
3. Continue to apply the top coat to ALL 6 sides of the door which have been bored and mortised for hardware should be finished inside of the lock bore as well.

CAUTION

1. 1. When using stains, mineral spirits, paints, or other hazardous materials, always read and follow the manufacturer's instructions. Plastpro, Inc. makes no representations as to the proper use of other manufacturers' products.
2. When working with paints or solvents, make sure the working area is well ventilated.
3. Keep away from heat and flame as materials may be combustible.
4. Paints or solvents may cause skin and eye irritation. Avoid contact with skin and eyes.
5. Keep out of reach of children.

IMPORTANT TO NOTE:

- It is considered normal maintenance to re-apply the topcoat approximately every two years. Even a well-finished fiberglass door will be affected by exposure and weathering from sun, moisture, and air pollutants.

MATERIALS NEEDED

A. Lint-free Cloth
B. Mineral Spirits
C. Rubber Gloves
D. Masking Tape
E. 4" Bristle Brush
F. For Water-based Application: Acrylic-based primer* / acrylic latex-based exterior grade paint.
G. Scotch Brite Pad (Fine) or 320-400 grit sandpaper
(For Smooth Doors Only)

We recommend using Sherwin-Williams PrepRite® Bonding Primer with compatible acrylic-latex paint for optimal paint adhesion.

PAINTING INSTRUCTIONS FOR DOORS & PF™ DOOR FRAMES

STEP 1: SURFACE PREPARATION

1. Lay door horizontally on saw horses or a table.
2. Remove all the hardware and mask off anything you don't want painted, such as the glass insert.
3. Smooth Doors only. Lightly scuff sand the surface with a Scotch Brite pad or fine sand paper. DO NOT SAND GRAINED FIBERGLASS.
4. Wipe the door with mineral spirits to clean any dust or residue from the surface. Allow acetone to dry from the surface before applying.
5. Do not use hydro-carbon based solvents to clean the surface as such products may leave a residue.
6. Apply primer with a 4" brush beginning with the panels. Follow the manufacturer's instructions for drying time before applying topcoat. Continue to apply the prime to ALL 6 sides. Doors / PF™ Door Frames which have been bored and mortised, or machined for hardware should be primed inside of the lock bore, or prepped area as well.
7. The primer must be completely dry before applying the topcoat.



STEP 2: PAINTING

1. Apply exterior grade paint with 4" brush beginning with the panels.
2. It is a common practice to paint both door stiles, or both PF™ Door Frame sides, the same color as the exterior side of the door. If applying a second coat, follow the manufacturer's instructions for drying time between coats.
3. Continue to apply the top coat to ALL 6 sides of the door which have been bored and mortised for hardware should be finished inside of the lock bore as well.

CAUTION

1. When using stains, mineral spirits, paints, or other hazardous materials, always read and follow the manufacturer's instructions. Plastpro Inc. makes no representations as to the proper use of other manufacturers' products.
2. When working with paints or solvents, make sure the working area is well ventilated.
3. Keep away from heat and flame as materials may be combustible.
4. Paints or solvents may cause skin and eye irritation. Avoid contact with skin and eyes.
5. Keep out of reach of children.

IMPORTANT TO NOTE:

- It is considered normal maintenance to re-apply the topcoat approximately every two years. Even a well-finished fiberglass door will be affected by exposure and weathering from sun, moisture, and air pollutants.

Onelite Door • DRS1080B

PLASTPRO DOORS & THEIR LEED CONTRIBUTIONS

		RUSTIC	OAK	SMOOTH	TRIMMABLE	FIRE RATED	HVHZ	PF™ DOOR FRAMES	TRIM BOARD
10%	Contributes To Total Project Value of Recycled Content	✓	✓	✓	✓	✓	✓	✓	
20%	Contributes To Total Project Value of Recycled Content	✓	✓	✓	✓	✓	✓	✓	
10%	Contributes To Total Project Value of Regional Materials	✓	✓	✓	✓	✓	✓	✓	
20%	Contributes To Total Project Value of Regional Materials	✓	✓	✓	✓	✓	✓	✓	
2.5%	Contributes To Total Project Value of Regional Materials	✓	✓	✓	✓	✓	✓	✓	

All Plastpro products that utilize structural wood members are sourced from vendors certified to SFI (Sustainable Forest Initiative), Plastpro does not offer productes that are certified by FSC (Forest Stewardship Council)

	MATERIAL RESOURCE	REQUIREMENT
10%	**RECYCLE CONTENT**	The sum of post consumer recycle content plus one-half of pre-consumer content constitutes at least 10% of cost, for the total value of thematerials for that project.
20%	**RECYCLE CONTENT**	The sum of post consumer recycle content plus one-half of pre-consumer content constitutes at least 20% of cost, for the total value of the materials for that project.
10%	**REGIONAL MATERIALS**	Use of building materials or products extracted, harvested, or recovered as well as manufactured, with-in 500 mi. of the project site (= > 10% total project material cost)
20%	**REGIONAL MATERIALS**	20% Use of building materials or products extracted, harvested, or recovered as well as manufactured, with-in 500 mi. of the project site (= > 20% total project material cost)
2.5%	**RAPIDLY RENEWABLE MATERIAL**	Use of building materials or products made from plants, typically harvested, with-in a ten-year cycle or shorter (= > 2.5% total project material cost)

PRODUCT INDEX

Easily locate all products within the catalog, including doors, sidelites, accessories and decorative glass.

PG 186 - 192

PF™ DOOR FRAMES

CATEGORY	NAME	AVAILABLE GRAINS	PAGE
DOOR FRAME	4-9/16" Door Frame	Fir, Mahogany, Embossed, Primed, White Capped	9
	5-1/4" Door Frame	Embossed, Primed, White Capped	9
	6-9/16" Door Frame	Fir, Mahogany, Embossed, Primed, White Capped	9
	7-1/4" Door Frame	Embossed, Primed, White Capped	9
	WM180 Florida Brickmold	Fir, Mahogany, Embossed, Primed, White Capped	9
	WM176 Brickmold	Embossed, Primed	9
	1-1/2" x 1" Mull Cover	Fir, Mahogany, Embossed, Primed	9
	2" x 1" Mull Cover	Fir, Mahogany, Embossed, Primed	9
	1" x 2" Stuccomold	Primed	9
	4.528" x 17' Primed Backband	Primed	9
	3.21" x 6'8" Astragal	Embossed, Primed	9
	3.21" x 8'0" Astragal	Embossed, Primed	9
	.551" x 8'4" Sidelite Stopper	Embossed, Primed	9
	Nailing Fin	Embossed, Primed, White Capped	9
	J-Channel	Embossed, Primed, White Capped	9
	Flat casing	Embossed, Primed, White Capped	9
	Flat Casing J-Channel	Embossed, Primed, White Capped	9
	1-1/4" x 3" Jamb Extension	Fir, Mahogany, Embossed, Primed, White Capped	9
	1" x 2-1/2" Storm Door Extension	Fir, Mahogany, Embossed, Primed, White Capped	9
	1" x 3" Storm Door Extension	Fir, Mahogany, Embossed, Primed, White Capped	9
	4-9/16" Transom Sill	Fir, Mahogany, Embossed, Primed, White Capped	9
	6-9/16" Transom Sill	Fir, Mahogany, Embossed, Primed, White Capped	9
	Mull Post w/ LVL-3P	Embossed, Primed, White Capped	9

FIBERGLASS ENTRY SYSTEMS

SERIES	CODE	HEIGHT	WIDTH	DESCRIPTION	PAGE
LIMITED	DRC21	6'8"	2'8", 2'10", 3'0"	Two Panel	21 - 33
	DMT51	6'8"	2'8", 2'10", 3'0", 3'6"	Modern Teak Milan Door	34
	DMT5170	7'0"	3'0", 3'6"	Modern Teak Milan Door	34
	DRK2B	6'8"	2'8", 2'10", 3'0"	Two Panel	35
MODERN	DMG46	6'8"	2'6", 2'8", 2'10", 3'0", 3'6"	South Beach, Oak Grain	38
	DMG4680	8'0"	2'6", 2'8", 2'10", 3'0", 3'6"	South Beach, Oak Grain	38
	DMG51	6'8"	2'6", 2'8", 2'10", 3'0"	Napoli, Oak Grain	38
	DMG5180	8'0"	2'6", 2'8", 2'10", 3'0"	Napoli, Oak Grain	38
	DMS1L	6'8"	2'6", 2'8", 2'10", 3'0", 3'6"	Bienvenue Left Lite, Smooth Skin	39
	DMS1L80	8'0"	3'0", 3'6"	Bienvenue Left Lite, Smooth Skin	39
	DMS1R	6'8"	2'6", 2'8", 2'10", 3'0", 3'6"	Bienvenue Right Lite, Smooth Skin	40
	DMS1R80	8'0"	3'0", 3'6"	Bienvenue Right Lite, Smooth Skin	40
	DMS1T	6'8"	2'6", 2'8", 2'10", 3'0", 3'6"	Martinique Twin Lite, Smooth Skin	41
	DMS1T80	8'0"	3'0", 3'6"	Martinique Twin Lite, Smooth Skin	41
	DMS3HI	6'8"	2'6", 2'8", 2'10", 3'0"	Empire, Smooth Skin	42
	DMS3H80I	8'0"	2'6", 2'8", 2'10", 3'0"	Empire, Smooth Skin	42

SERIES	CODE	HEIGHT	WIDTH	DESCRIPTION	PAGE
MODERN	DMS5HI	6'8"	2'6", 2'8", 2'10", 3'0"	Infinity, Smooth Skin	42
	DMS5H80I	8'0"	2'6", 2'8", 2'10", 3'0"	Infinity, Smooth Skin	42
RUSTIC	DRAPC	6'8"	2'6", 3'0", 3'6"	True Plank, Arch Top	46
	DRAPC70	7'0"	2'6", 3'0", 3'6"	True Plank, Arch Top	46
	DRAPC80	8'0"	2'6", 3'0", 3'6"	True Plank, Arch Top	46
	DRAPR	6'8"	2'6", 3'0", 3'6"	True Plank, Radius Top	46
	DRAPR70	7'0"	2'6", 3'0", 3'6"	True Plank, Radius Top	46
	DRAPR80	8'0"	2'6", 3'0", 3'6"	True Plank, Radius Top	46
	DRATP	6'8"	2'6", 3'0", 3'6"	True Plank, Square Top	47
	DRATP70	7'0"	2'6", 3'0", 3'6"	True Plank, Square Top	47
	DRATP80	8'0"	2'6", 3'0", 3'6"	True Plank, Square Top	47
	DRA1A80	8'0"	3'0", 3'6"	One Panel, Arch Plank	47
	DRA1C80	8'0"	3'0", 3'6"	One Panel, Arch Plank, Arch Top	48
	DRA1P	6'8"	3'0""	One Panel, Square Plank	48
	DRA1P80	8'0"	3'0", 3'6"	One Panel, Square Plank	48
	DRA2A	6'8"	3'0"	Two Panel, Arch Plank	49
	DRA2A80	8'0"	3'0", 3'6"	Two Panel, Arch Plank	49
	DRA2B	6'8"	2'10", 3'0"	Two Panel, Square Panel	50
	DRA2C	6'8"	3'0""	Two Panel, Arch Plank, Arch Top	51
	DRA2C80	8'0"	3'0", 3'6"	Two Panel, Arch Plank, Arch Top	51
	DRA2D	6'8"	2'10", 3'0", 3'6"	Two Panel, Arch Panel	52
	DRA2E	6'8"	2'10", 3'0", 3'6"	Two Panel, Arch Panel, Arch Top	53
	DRA2F80	8'0"	3'0"	Two Panel, Radius Panel, Radius Top	53
	DRA2P80	8'0"	3'0", 3'6"	Two Panel, Square Plank	54
	DRA2R80	8'0"	3'0"	Two Panel, Radius Panel	54
	DRA4C80	8'0"	3'0", 3'6"	Four Panel, Radius Panel, Radius Top	55
	DRA4R80	8'0"	3'0", 3'6"	Four Panel, Radius Panel	55
	ACCLP12Q	1 1/2"	1 1/2"	Square Clavos	56
	ACCLP14Q	1 1/4"	1 1/4"	Square Clavos	56
	ACCLP12R	1 1/2"	1 1/2"	Round Clavos	56
	ACCLP14R	1 1/4"	1 1/4"	Round Clavos	56
	ACCHGSTP18	2 1/9"	18"	Wrought Iron Hinge Strap	57
	ACCSPKY0910KIT	15 1/4"	8 3/4"	Wrought Iron Speakeasy	57
	ACCSPKYGSB0KIT	11 8/9"	9 8/9"	Wrought Iron Speakeasy	57
MAHOGANY	DRM3D	6'8"	3'0"	Three Panel Deluxe	60
	DRM4E	6'8"	3'0"	Four Panel Eyebrow	61
	DRM40	6'8"	2'6", 2'8", 2'10", 3'0"	Four Panel Blank Top	62 - 64
	DRM41	6'8"	3'6"	True Four Panel	65
	DRM60	6'8"	3'0"	Six Panel	66
	DRM6080	8'0"	3'6"	Six Panel	66
FIR GRAIN	DRF3C	6'8"	3'0"	Direct Glazed Craftsman	70
	DRF3C80	8'0"	3'0"	Direct Glazed Craftsman	70 - 71
	DRF3F	6'8"	2'8", 2'10", 3'0"	Three Panel Shaker Craftsman	72
	DRF3F80	8'0"	3'0"	Three Panel Shaker Craftsman	72
	DRF50	6'8"	2'8", 2'10", 3'0"	Five Panel Shaker Craftsman	72

SERIES	CODE	HEIGHT	WIDTH	DESCRIPTION	PAGE
FIR GRAIN	ACDSFT2704	3 5/8"	27"	4 Block Dentil Shelf	73
	ACSDF23001	1 1/2"	17 1/8" (4 pcs)	3-Lite SDL Bars for 6'8" Door	73
	ACSDF23005	1 1/2"	23" (4 pcs)	3-Lite SDL Bars for 8'0" Door	73
	ACSDF23002	1 1/2"	25 3/4" (2 pcs), 8 21/32" (8 pcs)	6-Lite SDL Bars for 6'8" Door	73
	ACSDF23006	1 1/2"	26" (2 pcs), 11 3/16" (8 pcs)	6-Lite SDL Bars for 8'0" Door	73
	ACSDF23004	1 1/2"	8 3/4" (2 pcs)	2-Lite SDL Bars for 6'8" and 8'0" Sidelite	73
OAK GRAIN	DRG00	6'8"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0", 3'6"	Flush	76 - 78
	DRG0070	7'0"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0", 3'6"	Flush	76 - 78
	DRG0080	8'0"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0", 3'6"	Flush	76 - 78
	DRG20	6'8"	3'0"	3/4 Heritage	80
	DRG29	6'8"	2'8", 2'10", 3'0"	3/4 Two Panel	81 - 82
	DRG2980	8'0"	2'8", 2'10", 3'0"	3/4 Two Panel	81 - 82
	DRG3E	6'8"	3'0"	3/4 Elite	84
	DRG3P	6'8"	3'0"	3/4 Premium	85
	DRG3080	8'0"	2'8", 3'0", 3'6"	3/4 Three Panel	86 - 87
	DRG31	6'8"	3'0"	Three Panel	88
	DRG3170	7'0"	3'0"	Three Panel	88
	DRG40	6'8"	2'6", 2'8", 2'10", 3'0"	Four Panel Blank Top	89 - 90
	DRG41	6'8"	2'8", 2'10", 3'0", 3'6"	True Four Panel	92 - 93
	DRG4170	7'0"	2'8", 2'10", 3'0"	True Four Panel	92 - 93
	DRG4180	8'0"	2'8", 2'10", 3'0"	True Four Panel	92 - 93
	DRG4B	6'8"	2'8", 2'10", 3'0"	Four Panel w/ 10" Bottom Rail	92 - 93
	DRG49	6'8"	2'8", 2'10", 3'0"	3/4 Four Panel	95
	DRG6C	6'8"	3'0"	Six Panel Craftsman	97
	DRG60	6'8"	2'6", 3'0"	Six Panel	98
	DRG6080	8'0"	2'6", 2'8", 3'0", 3'6"	Six Panel	98
	DRG61	6'8"	2'8", 2'10", 3'0"	Six Panel Utility	99 - 100
	DRG6170	7'0"	2'8", 2'10", 3'0"	Six Panel Utility	99 - 100
	DRG6180	8'0"	2'8", 2'10", 3'0"	Six Panel Utility	99 - 100
	DRG6B	6'8"	2'8", 2'10", 3'0"	Six Panel w/ 10" Bottom Rail	99 - 100
	DRG63	6'8"	2'8", 2'10", 3'0"	True Six Panel Narrow	102
	DRG80	6'8"	3'0"	Eight Panel, Center Arch	104
	DRG8080	8'0"	3'0", 3'6"	Eight Panel, Center Arch	104
	DRG90	6'8"	2'8", 3'0"	Nine Panel	105
	DRG9180	8'0"	3'0"	Nine Panel	106
	ACDSGT2704	3"	27"	4 Block Dentil Shelf	107
	ACDSGT2716	3 2/3"	27 1/9"	16 Block Dentil Shelf	107
SMOOTH	DRS00	6'8"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0", 3'6"	Flush	112 - 114
	DRS0070	7'0"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0", 3'6"	Flush	112 - 114
	DRS0080	8'0"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0", 3'6"	Flush	112 - 114
	DRS2B	6'8"	2'8", 2'10", 3'0"	Two Panel	115 -116
	DRS2B80	8'0"	2'8", 2'10", 3'0"	Two Panel	115 -116
	DRS2D	6'8"	2'8", 2'10", 3'0"	Two Panel, Arch Panel	118 - 119
	DRS2D80	8'0"	2'8", 2'10", 3'0"	Two Panel, Arch Panel	118 - 119
	DRS2G	6'8"	2'8", 2'10", 3'0"	Cottage Two Panel	120

SERIES	CODE	HEIGHT	WIDTH	DESCRIPTION	PAGE
SMOOTH	DRS2G80	8'0"	2'8", 2'10", 3'0"	Cottage Two Panel	120 - 121
	DRS20	6'8"	3'0"	3/4 Heritage	122
	DRS29	6'8"	2'8", 2'10", 3'0"	3/4 Two Panel	123
	DRS2980	8'0"	2'8", 2'10", 3'0"	3/4 Two Panel	123 - 124
	DRS3C	6'8"	3'0"	Direct Glazed Craftsman	126
	DRS3C80	8'0"	3'0"	Direct Glazed Craftsman	126
	DRS3E	6'8"	3'0"	3/4 Elite	127
	DRS3F	6'8"	2'8", 2'10", 3'0"	Three Panel Shaker Craftsman	128
	DRS3F80	8'0"	3'0"	Three Panel Shaker Craftsman	128
	DRS3P	6'8"	3'0"	3/4 Premium	129
	DRS3080	8'0"	2'8", 3'0", 3'6"	3/4 Three Panel	130 - 131
	DRS31	6'8"	3'0"	Three Panel	132
	DRS3170	7'0"	3'0"	Three Panel	132
	DRS40	6'8"	2'6", 2'8", 2'10", 3'0"	Four Panel Blank Top	133 - 134
	DRS4B	6'8"	2'8", 2'10", 3'0"	Four Panel w/ 10" Bottom Rail	135
	DRS41	6'8"	2'8", 2'10", 3'0"	True Four Panel	135
	DRS4170	7'0"	2'8", 2'10", 3'0"	True Four Panel	135 - 136
	DRS4180	8'0"	2'8", 2'10", 3'0"	True Four Panel	135 - 136
	DRS42	6'8"	2'6"	Four Panel Blank Top	133
	DRS49	6'8"	2'8", 2'10", 3'0"	3/4 Four Panel	138
	DRS50	6'8"	2'8", 2'10", 3'0"	Five Panel Shaker Craftsman	140
	DRS6C	6'8"	3'0"	Six Panel Craftsman	141
	DRS60	6'8"	2'6", 3'0"	Six Panel	142
	DRS6080	8'0"	2'6", 2'8", 3'0"	Six Panel	142
	DRS6B	6'8"	2'8", 2'10", 3'0"	Six Panel w/ 10" Bottom Rail	143
	DRS61	6'8"	2'8", 2'10", 3'0"	Six Panel Utility	143
	DRS6170	7'0"	2'8", 2'10", 3'0"	Six Panel Utility	143 - 144
	DRS6180	8'0"	2'8", 2'10", 3'0"	Six Panel Utility	143 - 144
	DRS63	6'8"	2'8", 2'10", 3'0"	True Six Panel Narrow	146
	DRS80	6'8"	3'0"	Eight Panel, Center Arch	148
	DRS8080	8'0"	3'0", 3'6"	Eight Panel, Center Arch	148
	DRS90	6'8"	2'8", 3'0"	Nine Panel	149
	ACSDW23005		17 1/8" (4 pcs)	3-Lite SDL Bars for 6'8" Door	150
	ACSDW23001		23" (4 pcs)	3-Lite SDL Bars for 8'0" Door	150
	ACSDW23006		25 3/4" (2 pcs), 8 21/32" (8 pcs)	6-Lite SDL Bars for 6'8" Door	150
	ACSDW23002		26" (2 pcs), 11 3/16" (8 pcs)	6-Lite SDL Bars for 8'0" Door	150
	ACSDW23004		8 3/4" (2 pcs)	2-Lite SDL Bars for 6'8" and 8'0" Sidelite	150
	ACDSSW2404		24"	4 Block Dentil Shelf	150 - 151
	ACDSSW2704		27"	4 Block Dentil Shelf	150 - 151
	ACDSSW2716		27 1/9"	16 Block Dentil Shelf	150 - 151
TRUE WHITE OAK	DRW00	6'8"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0"	Flush	154 - 155
	DRW0070	7'0"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0"	Flush	154 - 155
	DRW0080	8'0"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0"	Flush	154 - 156
	DRW40	6'8"	2'6", 2'8", 2'10", 3'0"	Four Panel Blank Top	157 - 158
	DRW41	6'8"	2'8", 2'10", 3'0"	True Four Panel	160

SERIES	CODE	HEIGHT	WIDTH	DESCRIPTION	PAGE
TRUE WHITE OAK	DRW4170	7’0”	2’8”, 2’10”, 3’0”	True Four Panel	160 - 161
	DRW60	6’8”	2’6”, 3’0”	Six Panel	162
	DRW6080	8’0”	2’6”, 3’0”	Six Panel	162
	DRW61	6’8”	2’6”, 2’8”, 2’10”, 3’0”	Six Panel Utility	163
	DRW6170	7’0”	2’8”, 2’10”, 3’0”	Six Panel Utility	163 -164
	DRW63	6’8”	2’8”, 2’10”, 3’0”	True Six Panel Narrow	166
ONELITE SMOOTH ADA	DRS11	6’8”	3’0”	Full Lite	170
	DRS1170	7’0”	3’0”	Full Lite	170
	DRS1180	8’0”	3’0”	Full Lite	170
ONELITE OAK GRAIN	DRG10	6’8”	2’0”, 2’4”, 2’6”, 2’8”, 2’10”, 3’0”	Flush Glazed Full Lite	171
	DRG10 G10	6’8”	2’0”, 2’4”, 2’6”, 2’8”, 2’10”, 3’0”	10 Lite GBG	171
	DRG10 G15	6’8”	2’0”, 2’4”, 2’6”, 2’8”, 2’10”, 3’0”	15 Lite GBG	171
	DRG10 ABRZ	6’8”	2’6”, 2’8”, 3’0”	Flush Glazed with Aberdeen Glass	171
	DRG10B	6’8”	2’6”, 2’8”, 2’10”, 3’0”	Full Lite with Miniblinds	171
	DRG1070	7’0”	2’6”, 2’8”, 2’10”, 3’0”	Flush Glazed Full Lite	171
	DRG1070 G10	7’0”	2’6”, 2’8”, 2’10”, 3’0”	10 Lite GBG	171
	DRG1070 G15	7’0”	2’6”, 2’8”, 2’10”, 3’0”	15 Lite GBG	171
	DRG1070 ABRZ	7’0”	2’6”, 2’8”, 2’10”, 3’0”	Flush Glazed with Aberdeen Glass	171
	DRG1070B	7’0”	2’6”, 2’8”, 2’10”, 3’0”	Full Lite with Miniblinds	171
	DRG1W80	8’0”	2’6”, 2’8”, 3’0”	Flush Glazed Full Lite	171
	DRG1W80 G12	8’0”	2’6”, 2’8”, 3’0”	12 Lite GBG	171
	DRG1W80 ABRZ	8’0”	2’6”, 2’8”, 3’0”	Flush Glazed with Aberdeen Glass	171
	DRG1W80B	8’0”	2’6”, 2’8”, 3’0”	Full Lite with Miniblinds	171
	DRG12	6’8”	2’8”, 3’0”	Flush Glazed Half Lite	173
	DRG12 G09	6’8”	2’8”, 3’0”	9 Lite GBG	173
	DRG12B	6’8”	2’8”, 3’0”	Half Lite with Miniblinds	173
ONELITE SMOOTH	DRS10	6’8”	2’0”, 2’4”, 2’6”, 2’8”, 2’10”, 3’0”	Flush Glazed Full Lite	174
	DRS10 G10	6’8”	2’0”, 2’4”, 2’6”, 2’8”, 2’10”, 3’0”	10 Lite GBG	174
	DRS10 G15	6’8”	2’0”, 2’4”, 2’6”, 2’8”, 2’10”, 3’0”	15 Lite GBG	174
	DRS10 ABRZ	6’8”	2’6”, 2’8”, 3’0”	Flush Glazed with Aberdeen Glass	174
	DRS10B	6’8”	2’6”, 2’8”, 2’10”, 3’0”	Full Lite with Miniblinds	174
	DRS1070	7’0”	2’6”, 2’8”, 2’10”, 3’0”	Flush Glazed Full Lite	174
	DRS1070 G10	7’0”	2’6”, 2’8”, 2’10”, 3’0”	10 Lite GBG	174
	DRS1070 G15	7’0”	2’6”, 2’8”, 2’10”, 3’0”	15 Lite GBG	174
	DRS1070 ABRZ	7’0”	2’6”, 2’8”, 2’10”, 3’0”	Flush Glazed with Aberdeen Glass	174
	DRS1070B	7’0”	2’6”, 2’8”, 2’10”, 3’0”	Full Lite with Miniblinds	174
	DRS1Z80	8’0”	2’6”, 2’8”, 3’0”	Flush Glazed Full Lite	174
	DRS1Z80 G12	8’0”	2’6”, 2’8”, 3’0”	12 Lite GBG	174
	DRS1Z80 ABRZ	8’0”	2’6”, 2’8”, 3’0”	Flush Glazed with Aberdeen Glass	174
	DRS1Z80B	8’0”	2’6”, 2’8”, 3’0”	Full Lite with Miniblinds	174
	DRS12	6’8”	2’8”, 3’0”	Flush Glazed Half Lite	176
	DRS12 G09	6’8”	2’8”, 3’0”	9 Lite GBG	176
	DRS12B	6’8”	2’8”, 3’0”	Half Lite with Miniblinds	176
	DRS13	6’8”	2’6”, 2’8”, 3’0”	Flush Glazed 3/4 Lite	177
	DRS1380	8’0”	2’6”, 2’8”, 3’0”	Flush Glazed 3/4 Lite	177

SERIES	CODE	HEIGHT	WIDTH	DESCRIPTION	PAGE
ONELITE MAHOGANY	DRM13	6'8"	2'6", 2'8", 3'0"	Flush Glazed 3/4 Lite	178
	DRM1380	8'0"	2'6", 2'8", 3'0"	Flush Glazed 3/4 Lite	178
	ACSDM/S1368L08C	1 1/4"	48 5/32" *(2 pcs)*, 12 59/64" *(12 pcs)*	8-Lite SDL Bars for 6'8" Door	179
	ACSDM/S1380L10C	1 1/4"	64 5/32" *(2 pcs)*, 12 59/64" *(16 pcs)*	10-Lite SDL Bars for 8'0" Door	179

NOTES

NOTES

THE DOOR OF BEAUTY AND INNOVATION

THE DOOR OF BEAUTY AND INNOVATION

plastpro®

PlastproInc.com

5200 W. Century Blvd, 9th Floor ■ Los Angeles, CA 90045

Phone: (800) 779-0561 ■ Fax: (310) 693-8620

© 2018 Plastpro Inc. All Rights Reserved

Product # MKLFLB2018 Updated March 2018